

Checklist of Ventura County Rare Plants¹

By David L. Magney

California Native Plant Society, Channel Islands Chapter

Updated 19 September 2005

Ventura County is located in southern California, USA, along the east edge of the Pacific Ocean. The coastal portion occurs along the south and southwestern quarter of the County. Ventura County is bounded by Santa Barbara County on the west, Kern County on the north, Los Angeles County on the east, and the Pacific Ocean generally on the south (Figure 1, General Location Map of Ventura County).

Ventura County extends north to 34.9014°N latitude at the northwest corner of the County. The County extends westward at Rincon Creek to 119.47991°W longitude, and eastward to 118.63233°W longitude at the west end of the San Fernando Valley just north of Chatsworth Reservoir. The mainland portion of the County reaches southward to 34.04567°N latitude between Solromar and Sequit Point west of Malibu. When including Anacapa and San Nicolas Islands, the southernmost extent of the County occurs at 33.21°N latitude and the westernmost extent at 119.58°W longitude, on the south side and west sides of San Nicolas Island, respectively.

Ventura County occupies 480,996 hectares [ha] (1,188,562 acres [ac]) or 4,810 square kilometers [sq. km] (1,857 sq. miles [mi]), which includes Anacapa and San Nicolas Islands. The mainland portion of the county is 474,852 ha (1,173,380 ac), or 4,748 sq. km (1,833 sq. mi.) in area and ranges in elevation from sea level on the southwest to 2,692 meters [m] (8,831 feet [ft.]) above sea level at its northern border on Mount Piños (Figure 2, Shade Relief Map of Mainland Ventura County). There appears to be some discrepancy in the actual area covered by Ventura County, depending on the source. For example, according to the California County Fact Book, 1983 edition (California Supervisors Association of California 1983), Ventura County occupies an area of 482,668 ha (1,192,680 ac) or 2,999 sq. km (1,863.6 sq. mi), with 3,254 ha (8,040 ac) or 20.3 sq. km (12.6 sq. mi) of that as water. The discrepancy appears to be a little over 2,469 ha (6,100 ac), which does not correspond to the area occupied by the two islands within the County. However, the difference does appear to match the area occupied by a rectangular portion of the county in the northeast corner, where the Ventura County Board of Supervisors voted to give away approximately 6,100 acres to Kern County to accommodate a proposed development that Ventura County felt it could not provide adequate County services to.

Mainland Ventura County is located between 34°00' and 35°00'N latitude and 118°38' and 119°28'W longitude, excluding Anacapa and San Nicolas Islands, and is generally longer than wide. Anacapa Islands are the smallest and easternmost of the northern Channel Islands while San Nicolas Island is an outer southern Channel Island.

¹ This document should be cited as: Magney, D.L. 2005. Checklist of Ventura County Rare Plants. 2 June 2005.

California Native Plant Society, Channel Islands Chapter, Ojai, California. (Previous published update dated 15 May 2005.)

Figure 1. General Location Map of Ventura County




Figure 2. Shade Relief Map of Mainland Ventura County



The flora of Ventura County is comprised of over 2,100 (2,116) native and naturalized vascular plant taxa, including those expected to occur but for which no vouchers are known. A total of 1,985 taxa are known to occur in the County and are supported by voucher specimens. Approximately 1,517 taxa (71.7%) are natives, and another 598 nonnative taxa (28.3%) known to occur in the County. A small percentage of the flora species are quite common. Many more of the plants are uncommon to quite rare. All the species (including varieties and subspecies, which are lower taxonomic units than full species) of native and naturalized plants are an important component of the biodiversity of life in Ventura County. While most species do not recognize political boundaries, such as county boundaries, our government agencies set policies and manage land use and resources based on such jurisdictional boundaries.

This list represents a compilation of known records and observations (many by the author) of all native vascular plant species:

- With ten (10) or fewer populations within Ventura County;
- Listed by CNPS on a statewide basis (CNPS 2001);
- Listed by the US Fish and Wildlife Service as Threatened or Endangered under the federal Endangered Species Act;
- Listed by the California Fish and Game Commission as Rare, Threatened, or Endangered;
- Are at the limits of their distribution range (southernmost, northernmost, westernmost extent);
or
- The Type Locality occurs within the County (then only the Type Locality is considered sensitive).

Some taxa are considered rare or uncommon throughout California, as established by the California Native Plant Society (CNPS) in its *Inventory of Rare and Endangered Plants of California*, sixth edition², even though more than ten populations are known from Ventura County, including Anacapa Islands and San Nicolas Island. Currently there are 1,230 taxa (58.3%) included on this list of locally rare plants, and include taxa on the mainland and islands. Another 213 (10.1%) were added that are likely to occur in the County but for which no voucher specimens or reliable locality data are available. These are included at the end of this list. Many of these potential additions are known to occur in adjacent counties and expected to occur in Ventura County. A total of 23 plants (1.1%) considered rare in Ventura County occur only on the Channel Islands (Anacapa and San Nicolas Islands) portion of the county. A number of taxa were deleted from this list when over ten occurrences were known to occur in Ventura County.

This list was compiled as the results of extensive research of the flora of Ventura County. It is based on extensive field searches; examination of specimens collected by others housed at public herbaria; and published reports. The author began research on the Ventura County flora in the late 1970s.

Soon to be published separately, *Ventura County Rare Plants* will provide much more information about those plants included in this checklist, including: a brief description of the plant, habitat preferences, associated plant communities, elevation range, and blooming period. That publication will include additional information for each taxon, including complete scientific name, known synonyms, common name(s), habit and size, rarity status, months it is in bloom or identifiable, and general and specific locality data, with supporting voucher collection information. Each specimen cited for a specific location includes the name of the collector, the collection number (or collection date if no

² California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth edition. (Special Publication No. 1.) Rare Plant Scientific Advisory Committee, David Tibor, Convening Editor, Sacramento, California. September.

number was assigned), and the herbarium in which it is stored (some duplicate specimens have been deposited in more than one herbarium). Location information is provided at two levels: a general geographic area, and then specific locations.

This list should be considered the best available information at the time of publication, as our knowledge of the Ventura County flora is dynamic, and growing with each botanical survey or foray. This checklist will be updated periodically and revised according to all new verifiable information provided. Occurrences of vascular plants found in Ventura County that add to or could change the status of any plant listed here should be submitted to the author via CNPS (attention: David Magney) or via email to david@magney.org. Any lists submitted must be supported by voucher specimens that are deposited in a public herbarium, according to CNPS and California Botanical Society policies based on Ferren et al. (1995³).

Plants not included in CNPS's *Inventory*, or listed by federal and state agencies, that have more than ten populations in Ventura County will be dropped from this list, except for those plants:

- representing range limits, such as the westernmost limit of the taxons range; or
- the "Type Locality" sites ("Type Locality" sites are the sites from which the plant was originally collected and formally described from, and is represented by a "Type Specimen", for which a note occurs after the herbarium at which it is deposited as "Holotype" or "Isotype").

For those plants that are otherwise relatively common in Ventura County, only the populations that represent the limit of a plants range should be considered of concern (as sensitive), with the remaining population(s) noted to provide perspective, but not considered sensitive/rare for the purposes of this checklist. *Artemisia tridentata* var. *tridentata* is an example of this, where it should be considered of local concern when it occurs in the western portion of the Santa Clara River Valley (the limit of its range) while the populations in the Upper Sespe Creek watershed and the northern part of the county are not of concern from a rarity perspective.

Special-status species are plants that are either listed as endangered or threatened under the Federal or California Endangered Special Acts; or considered to be rare under the California Native Plant Protection Act; or considered to be rare (but not formally listed) by resource agencies, professional organizations (e.g. California Native Plant Society), and the scientific community. For the purposes of this checklist, special-status species are further defined in Table 1, Definitions of Special-Status Plant Species.

Listed species are those taxa that are formally listed as endangered or threatened by the federal government (e.g. U.S. Fish and Wildlife Service [USFWS]) pursuant to the national Endangered Species Act or as endangered, threatened, or rare (for plants only) by the State of California (i.e. California Fish and Game Commission) pursuant to the California Endangered Species Act or the California Native Plant Protection Act.

The CNDDDB Element Ranking system provides a numeric global and state ranking system for all special-status plant and wildlife species and rare habitats tracked by the CNDDDB. The global rank (G-rank) is a reflection of the overall condition of an element (species or natural community) throughout its global range. The state ranking (S-rank) is assigned much the same way as the global rank, except state ranks in California often also contain a threat designation attached to the S-rank. This Element Ranking system is defined below in Table 2, Natural Diversity Data Base Element Ranking System. Not all special-status species considered in this checklist are tracked by the CNDDDB, nor have global or state

³ Ferren, W.R., Jr., D.L. Magney, and T.A. Sholars. 1995. The Future of California Floristics and Systematics: Collecting Guidelines and Documentation Techniques. *Madroño* 42(2):197-210.

rarity ranking been given to them; therefore, the author has applied the rules described above to “rank” those special-status species lacking such ranking. Taxa for which Global and State rarity ranking have been devised here are followed by a “?” in parentheses, denoting tentative assignment.

Table 1. Definitions of Special-Status Plant Species

<ol style="list-style-type: none"> 1. Plants legally protected under the California and Federal Endangered Species Acts or under other regulations. 2. Plants considered sufficiently rare by the scientific community to qualify for such listing; or 3. Plants considered to be sensitive because they are unique, declining regionally or locally, or are at the extent of their natural range.
Special-Status Plant Species
<ul style="list-style-type: none"> ◆ Plants listed or proposed for listing as threatened or endangered under the Federal Endangered Species Act (50 CFR 17.12 for listed plants and various notices in the Federal Register for proposed species). ◆ Plants that are Category 1 or 2 (species of special concern) candidates for possible future listing as threatened or endangered under the Federal Endangered Species Act (55 CFR 6184, February 21, 1990). ◆ Plants that meet the definitions of rare or endangered species under the CEQA (<i>State CEQA Guidelines</i>, Section 15380). ◆ Plants considered by the CNPS to be "rare, threatened, or endangered" in California (Lists 1A, 1B, and 2 in CNPS [2001]⁴). ◆ Plants listed by CNPS as plants about which we need more information and plants of limited distribution (Lists 3 and 4 in CNPS [2001]). ◆ Plants listed or proposed for listing by the State of California as threatened or endangered under the California Endangered Species Act (14 CCR 670.5). ◆ Plants listed under the California Native Plant Protection Act (California Fish and Game Code 1900 <i>et seq.</i>). ◆ Plants considered sensitive by other federal agencies (i.e. U.S. Forest Service, Bureau of Land Management) or state and local agencies or jurisdictions. ◆ Plants considered sensitive or unique by the scientific community or occurring at the limits of its natural range (<i>State CEQA Guidelines</i>, Appendix G).

CNPS’s *Inventory of Rare and Endangered Plants of California*⁵ categorizes rare California plants into one of five lists (1A, 1B, 2, 3, & 4) representing the five levels of species status, one of which is assigned to a sensitive species to indicate its status of rarity or endangerment and distribution. A CNPS List is a more general designation than the three separate sets of information provided in a CNPS R-E-D Code (see the CNPS *Inventory* for definitions). However, the CNPS List is a significant designation in terms of a species’ overall status throughout all of California, and it works well in conjunction to the specifications of the R-E-D Code. The CNPS R-E-D Code is a three-numbered numeric ranking, which is assigned to a special-status species, consisting of one number (1, 2, or 3) for each of the three categories (Rarity-Endangerment-Distribution). Each number accurately describes the species’ population levels and distribution patterns within each category.

As described for the NDDDB ranking, not all special-status species (most) considered in this checklist are tracked by CNPS, nor have R-E-D codes been given to them; however, the author has applied the rules described above to “rank” those special-status species lacking such ranking to either “rare” or “uncommon”; however, these rankings are not included in the checklist. Rather the occurrence rankings for each are provided in the *Ventura County Rare Plants* and in the *Flora of Ventura County* to be published in 2006 by the author.

⁴ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth Edition. Sacramento, California. September.

⁵ *Ibid.*

The large number of taxa on this list is the result of several factors:

1. Development in Ventura County has eliminated a majority of the natural vegetation in the southern half of the County, eliminating many occurrences of native plant species;
2. A number of taxa found nowhere else are present in Ventura County, local endemics, and several of these are listed as threatened or endangered by either the California Department of Fish and Game or the U.S. Fish and Wildlife Service;
3. Ventura County is geographically situated such that floral influences from the north, south, and east enter the County at its edges (limits of some species' ranges);
4. Anacapa and San Nicolas Islands support many species found only on the California Channel Islands, including island endemics;
5. Ventura County is topographically and climatically diverse, providing numerous habitats for uncommon and rare species; and
6. Botanical surveys have not been conducted systematically everywhere in the County. In other words, the flora of Ventura County is not fully understood or documented, and additional populations of a number of the plants listed below likely occur in the County, we just aren't aware of them yet. Regardless, significant collecting has occurred in the County over the last 150 years, and the author has a good understanding of the flora.

This list was compiled according to definitions under the California Environmental Quality Act (CEQA) under Initial Study Checklist Section 6, Subsections A and E. Projects reviewed under CEQA should consider impacts to one or more of the species included in this checklist as potentially significant. Generally, if a project would impact a population of one or more of the plants listed herein, that/those impact(s) should be considered significant unless substantial evidence is provided that may support an alternate conclusion.

What significance does a list of locally rare species have under CEQA?

The following answer is provided by John Buse, Esq., of the Environmental Defense Center of Ventura, California⁶. The CEQA Guidelines provide that a lead agency shall find that a project may have a significant effect on the environment if the project "... has the potential to ... reduce the number or restrict the range of an endangered, rare or threatened species ...". Guidelines § 15065(a). In addition, the CEQA Guidelines Appendix G Environmental Checklist Form considers whether a project would "have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations ...".

According to the CEQA Guidelines, a species is considered "rare" when either:

- (A) Although not presently threatened with extinction, the species is existing in such small numbers throughout all or a significant portion of its range that it may become endangered if its environment worsens; or
- (B) The species is likely to become endangered within the foreseeable future throughout all or a significant portion of its range and may be considered "threatened" as that term is used in the Federal Endangered Species Act. Guidelines § 15380(b)(2).

⁶ Buse, John, Esq., Environmental Defense Center, memorandum to David Magney of CNPS dated 14 September 2002.

Table 2. Natural Diversity Database Element Ranking System

Global Ranking (G)	
G1	Less than 6 viable element occurrences (populations for species) OR less than 1,000 individuals OR less than 809.4 hectares (ha) (2,000 acres [ac]).
G2	6 to 20 element occurrences OR 809.4 to 4,047 ha (2,000 to 10,000 ac).
G3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac).
G4	Apparently secure; this rank is clearly lower than G3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat).
G5	Population or stand demonstrably secure to ineradicable due to being commonly found in the world.
GH	All sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
GX	All sites are extirpated ; this element is extinct in the wild.
GXC	Extinct in the wild; exists in cultivation.
G1Q	The element is very rare, but there is a taxonomic question associated with it.
Subspecies Level	
Subspecies receive a T-rank attached to the G-rank. With the subspecies, the G-rank reflects the condition of the entire <u>species</u> , whereas the T-rank reflects the global situation of just the <u>subspecies</u> or <u>variety</u> . For example: <i>Chorizanthe robusta</i> var. <i>hartwegii</i> . This plant is ranked G2T1. The G-rank refers to the whole species range (i.e. <i>Chorizanthe robusta</i> , whereas the T-rank refers only to the global condition of var. <i>hartwegii</i> .	
State Ranking (S)	
S1	Less than 6 element occurrences OR less than 1,000 individuals OR less than 809.4 ha (2,000 ac). S1.1 = very threatened S1.2 = threatened S1.3 = no current threats known
S2	6 to 20 element occurrences OR 3,000 individuals OR 809.4 to 4,047 ha (2,000 to 10,000 ac). S2.1 = very threatened S2.2 = threatened S2.3 = no current threats known..
S3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). S3.1 = very threatened S3.2 = threatened S3.3 = no current threats known
S4	Apparently secure within California; this rank is clearly lower than S3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). NO THREAT RANK.
S5	Demonstrably secure to ineradicable in California. NO THREAT RANK.
SH	All California sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
SX	All California sites are extirpated ; this element is extinct in the wild.

Notes: 1. Other considerations used when ranking a species or natural community include the pattern of distribution of the element on the landscape, fragmentation of the population/stands, and historical extent as compared to its modern range. It is important to take a bird's eye or aerial view when ranking sensitive elements rather than simply counting element occurrences.

2. Uncertainty about the rank of an element is expressed in two major ways: by expressing the rank as a range of values (e.g., S2S3 means the rank is somewhere between S2 and S3), and by adding a ? to the rank (e.g. S2?). This represents more certainty than S2S3, but less than S2. (CNDDDB 2002.)

Species already listed under the California or federal ESA shall be presumed to be endangered, rare, or threatened. Guidelines § 15380(c). A species not currently listed shall nevertheless be considered to be endangered, threatened, or rare if it meets the criteria in the CEQA definitions of “endangered” or

“rare”. The term “sensitive” species, which appears in the Appendix G checklist, is not defined in CEQA.

If a species is considered locally rare due to its limited occurrence within a political boundary, such as the County of Ventura, and if the species’ local population constitutes a significant portion of its range, the species must be considered a rare species under CEQA. The mere placement of a species on a list of locally rare species is probably not enough to meet the CEQA criteria for endangered, threatened, or rare species. However, if the list contains some additional explanation indicating why the species meets the CEQA criteria, such as the fact that the local population constitutes a significant portion of the species’ range, the list should provide substantial evidence of rarity.

If the CEQA criteria are satisfied, it is irrelevant that a species is relatively common in other locations. For example, the Pacific Coast populations of the Snowy Plover are listed as threatened under the federal ESA, despite the fact that inland populations are relatively common and are not protected. The existence of the non-listed populations does not diminish the Snowy Plover’s status as a endangered, threatened, or rare species under CEQA. By extension, if the Pacific Coast populations of the Snowy Plover were not listed as threatened, these populations would still be considered endangered, threatened, or rare under CEQA. Accordingly, the special status for Snowy Plover in Ventura County under CEQA would still apply even if Snowy Plover was relatively common in, for example, Mono County. Assertions implying that a species necessarily does not warrant inclusion on a list of locally rare species if it is common elsewhere in California simply because it occurs rarely in Ventura County within a political boundary are incorrect. As the Snowy Plover example indicates, there will be instances when a locally rare species must be considered rare under CEQA despite the species’ common occurrence elsewhere in California.

Snowy Plover on the Pacific Coast is protected under the federal ESA based on the concept of a “distinct population segment” (DPS). Something similar to the DPS concept could be used to determine whether a locally rare species is, in fact, endangered, threatened, or rare under CEQA. The federal ESA allows a DPS, defined according to geographic or reproductive isolation, to be treated as a “species”. Therefore, as in the Snowy Plover example, a DPS can be listed even though the populations of the taxonomic species are common elsewhere. CEQA does not preclude use of the DPS concept to assist in understanding whether a species is endangered, threatened, or rare based on its local rarity; on the contrary, the CEQA Guidelines definition of “rare” appears to invite the consideration of similar circumstances that would inform the determination of a DPS under the federal ESA.

Under CEQA, lead agencies have considerable discretion in determining whether a species should be considered rare or sensitive. See, for example, the *State CEQA Guidelines* Appendix G checklist cited above, which indicates that lead agencies may designate candidate, sensitive, or special-status species in local or regional plans, policies, or regulations. A list of locally rare or sensitive species, if it is developed based on evidence that the local rarity meets the CEQA criteria for rarity, will effectively establish a rebuttable presumption of significance for species that may be adversely affected by a project. In this respect, a list of locally rare species as presented below will function in a manner similar to the threshold of significance that a lead agency may establish. CEQA requires, however, that thresholds of significance for general use in a lead agency’s environmental review process “must be adopted by ordinance, resolution, rule, or regulation, and developed through a public review process and be supported by substantial evidence.” Guidelines § 15064.7. For a list of locally rare or sensitive species to function as a set of thresholds of significance, therefore, the list should be adopted through a public review process. Even if the list is not adopted through a public review process, it will establish substantial evidence of rarity if it is accompanied by additional information showing, for example, that the local occurrences of a listed species constitute a substantial portion of the species’ range.

CNPS believes that this list of locally rare plants meets the definitions of rarity, at least locally, to satisfy consideration under CEQA. This checklist is supported by substantial evidence in the files of the author and data obtained from public herbaria and knowledgeable local botanists. Many of the taxa listed in this checklist are also listed by CNPS as rare or sensitive statewide, as well as those taxa formally listed under the California and/or federal ESA.

This checklist is updated regularly based on new information on the Ventura County flora. Species are added or deleted from this list as the new data warrant; therefore, be sure to obtain the most up-to-date version of this checklist. The most up-to-date version can be downloaded (as a PDF) from the Channel Islands Chapter CNPS website at www.cnpsci.org, or by contacting the author directly. Please send your notes on corrections, errors, and plant populations/occurrences you are aware of that may not be on this checklist to the author: David Magney, P.O. Box 1346, Ojai, CA 93024-1346 or via email at david@magney.org. Also contact the author if you need any specific locality data on any particular taxon included in this checklist.

Checklist of Rare Plants

Scientific Name⁷

Abies lowiana (Gordon & Glendinning) E. Murray
Abronia maritima Nutt. ex S. Watson X *A. umbellata* Lam.
Abronia maritima Nutt. ex S. Watson
Abronia pogonantha Heimerl
Abronia turbinata Torr. ex S. Watson
Abronia villosa S. Watson var. *aurita* (Abrams) Jeps.
Acanthomintha obovata var. *cordata* Jokerst
Achillea millefolium L. var. *arenicola* (Heller) Nobs in Ferris
Achillea millefolium L. var. *californica* (Pollard) Jepson
Achillea millefolium L. var. *occidentale* DC.
Achillea millefolium L. var. *millefolium*
Achillea millefolium L. var. *pacifica* (Rydb.) G.N. Jones
Achnatherum aridum (M.E. Jones) Barkworth
Achnatherum occidentale (Thurber) Barkworth ssp. *occidentalis*
Achnatherum occidentale ssp. *pubescens* (Vasey) Barkworth
Achnatherum thurberianum (Piper) Barkworth
Achyrachaena mollis Schauer
Adenostoma sparsifolium Torrey
Agoseris elata (Nuttall) E. Greene
Agoseris grandiflora (Nutt.) Greene
Agoseris heterophylla var. *cryptopleura* Greene
Agoseris heterophylla (Nutt.) Greene var. *heterophylla*
Agrostis exarata Trin.
Agrostis pallens Trin.
Agrostis stolonifera var. *palustris* (Hudson) Pers.
Alisma plantago-aquaticum L.

Common Name⁸

California White Fir (U) LPNF
Hybrid Sand-verbena (R) CNPS List 4
Red or Sticky Sand-verbena, Beach Pancake (U)
Desert Sand-verbena (R)
Turbinate Sand-verbena (R)
Woolly Sand-verbena (R)
Heartleaf Thornmint (U)
Common Island White Yarrow (R)
California White Yarrow (R)
Woolly White Yarrow (U)
White Yarrow (U)
Pacific White Yarrow (R)
Mormon Needlegrass (R)
Western Needlegrass (R)
Elmer Needlegrass (R)
Thurber Needlegrass (R)
Blow-Wives (R)
Red Shank, Ribbon-bush (U)
Tall Mountain Dandelion (R)
Bigflower [Mountain] Dandelion (U)
Mountain Dandelion (U)
Mountain Dandelion (U)
Western or Spike Bentgrass (U)
Thingrass (R)
Creeping Bentgrass (R)
Common or Broadleaf Water-plantain (R)

⁷ Scientific name: The complete scientific name is provided for each taxon and consists of the genus, species, and author (person who formally described and named the plant). Underlined entries indicate taxa found only on the Channel Islands (Anacapa or San Nicolas Islands).

⁸ Common names are given for all taxa, many of which are invented by the author as no common name has been identified otherwise. "R", "U", "Limits", or "Type" in parentheses indicated the category of rarity: R = rare (formally listed by USFWS, CDFG, CNPS, or with 5 or fewer occurrences in Ventura County); U = uncommon (with 6 to 10 occurrences in Ventura County); Limits = indicate taxon reaches its distribution limits in Ventura County; Type = type locality is within Ventura County.

Scientific Name

<i>Allium buplewii</i> A. Davidson	Burlew Onion (U)
<i>Allium campanulatum</i> S. Watson	Sierra Onion (U)
<i>Allium cratericola</i> Eastw.	Cratered Onion (R)
<i>Allium denticulatum</i> (Traub) D. McNeal	Dentate Fringed Onion (R)
<i>Allium diabloense</i> (Traub) D. McNeal	Diablo Onion (R)
<i>Allium fimbriatum</i> S. Watson var. <i>fimbriatum</i>	Fringed Onion (U)
<i>Allium haemaetochiton</i> S. Watson	Red-skinned Onion (R)
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Pinos Onion (R, Type)
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion (R, W Limits)
<i>Allium monticola</i> Davidson	Mountain Onion (R)
<i>Allium parryi</i> S. Watson	Parry Fringed Onion (R)
<i>Allium peninsulare</i> Lemmon var. <i>peninsulare</i>	Peninsular Onion (R)
<i>Allium praecox</i> Brandegee	Early Onion (R)
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion (R)
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion (R)
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum (R)
<i>Allophyllum gilioides</i> (Bentham) A.D. Grant & V. Grant ssp. <i>gilioides</i>	Stragglng Gilia (R)
<i>Allophyllum gilioides</i> ssp. <i>violaceum</i> (A.A. Heller) Day	Violet Phlox (R)
<i>Allophyllum glutinosum</i> (Bentham) A.D. Grant & V. Grant	Sticky Allophyllum (R)
<i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Breitung	Mountain Alder (R, Disjunct, S Limits)
<i>Alopecurus carolinianus</i> Walter	Carolina Foxtail (R)
<i>Alopecurus saccatus</i> Vasey	Pacific Foxtail (R)
<i>Amaranthus blitoides</i> S. Watson	Prostrate Amaranth (U)
<i>Amaranthus californicus</i> (Moq.) S. Watson	California Amaranth (R)
<i>Amaranthus palmeri</i> S. Watson	Palmer Amaranth (R)
<i>Amaranthus powellii</i> S. Watson	Powell Amaranth (R)
<i>Amblyopappus pusillus</i> Hook. & Arn.	Dwarf or Coast Amblyopappus (R)
<i>Ambrosia chamissonis</i> (Less.) E. Greene	Beach Bur (U)
<i>Ambrosia salsola</i> var. <i>fasiculata</i> (A. Nelson) Stother & B.G. Baldwin	White Burrobrush (R)
<i>Ambrosia salsola</i> (T.&G. Ex G.) Stother & B.G. Baldwin var. <i>salsola</i>	Burrobrush (R)
<i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson	Alderleaf Service-berry (R)
<i>Amelanchier pallida</i> E. Greene	Western or Pallid Service-berry (R, Type)
<i>Amelanchier utahensis</i> Koehne	Utah Service-berry (R)
<i>Ammannia coccinea</i> Rottb.	Long-leaved or Purple Ammannia (R)
<i>Amsinckia douglasiana</i> A. DC.	Douglas Fiddleneck (R)
<i>Amsinckia menziesii</i> (Lehm.) Nelson & J.F. Macbr. var. <i>menziesii</i>	Common or Menzeis Fiddleneck (U)
<i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i>	Showy Fiddleneck (R)
<i>Amsinckia tessellata</i> Gray var. <i>tessellata</i>	Devil's Lettuce, Tessellate Fiddleneck (R)
<i>Amsinckia tessellata</i> var. <i>gloriosa</i> (Suksd.) Hoover	Glorious Fiddleneck (R)
<i>Ancistrocarphus filagineus</i> Gray	Woolly Fishhooks (U)
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell	Southwestern Bushy Bluestem (R)
<i>Anisocoma acaulis</i> Torrey & A. Gray	Scale Bud (R)
<i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray	Low Everlasting (R)
<i>Antirrhinum coulterianum</i> Bentham ssp. <i>coulterianum</i>	White Snapdragon (R)
<i>Antirrhinum kelloggii</i> Greene	Kellogg Snapdragon (U)
<i>Antirrhinum nuttallianum</i> forma <i>pusillum</i> (Brandagee) Munz	Nuttall Snapdragon (R)
<i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson	Nuttall Snapdragon (R)
<i>Antirrhinum ovatum</i> Eastwood	Oval-leaved Snapdragon (R)
<i>Aphanisma blitoides</i> Moq.	Aphanisma (R)
<i>Apiastrum angustifolium</i> Nuttall	Wild Celery, Mock Parsley (R)
<i>Apocynum androsaemifolium</i> L.	Bitter Dogbane (U)
<i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cannabinum</i> var. <i>hypericifolium</i>)	Bitter Dogbane (R)
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine (R)
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine (U)
<i>Arabis breweri</i> S. Watson var. <i>breweri</i>	Brewer Rock Cress (R, S Limits)
<i>Arabis glabra</i> (L.) Benth. var. <i>glabra</i>	Tower Mustard (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Arabis hoffmannii</i> (Munz) Rollins	Hoffmann Rock Cress (R/E)
<i>Arabis holboellii</i> var. <i>retrofracta</i> (Graham) Rydb.	Holboell Rock Cress (R)
<i>Arabis pulchra</i> M.E. Jones var. <i>gracilis</i> M.E. Jones	Desert Rock Cress (R, SW Limits)
<i>Arabis repanda</i> S. Watson var. <i>repanda</i>	Yosemite Rock Cress (R)
<i>Arabis sparsiflora</i> T. & G. var. <i>arcuata</i> (Nutt.) Rollins	Few-flowered Rock Cress (U)
<i>Arabis sparsiflora</i> T. & G. var. <i>sparsiflora</i>	Few-flowered Rock Cress (R)
<i>Aralia californica</i> S. Watson	Elk Clover, Spikenard (R)
<i>Arbutus menziesii</i> Pursh	Pacific Madrone (R)
<i>Arceuthobium abietinum</i> (Engelm.) Hawksw. & Wiens	Dwarf Fir Mistletoe (R)
<i>Arceuthobium californicum</i> Hawksworth & Wiens	Sugar Pine Dwarf Mistletoe (R)
<i>Arceuthobium campylopodum</i> Engelm.	Western Dwarf Mistletoe (U)
<i>Arceuthobium cyanocarpum</i> Coulter & A. Nelson	Limber Pine Dwarf Mistletoe (R)
<i>Arceuthobium divaricatum</i> Engelm.	Pinyon Dwarf Mistletoe (U)
<i>Arceuthobium occidentale</i> Engelm.	Foothill Pine Dwarf Mistletoe (R)
<i>Arctostaphylos glandulosa</i> Eastw. ssp. <i>glandulosa</i>	Eastwood Manzanita (U)
<i>Arctostaphylos glandulosa</i> Eastw. X.A. <i>glauca</i> Lindley	Eastwood-Bigberry Manzanita Hybrid (R)
<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i> (Munz) Munz	Adams Eastwood Manzanita (R)
<i>Arctostaphylos glandulosa</i> ssp. <i>glaucomollis</i> P. Wells	Transverse Ranges Manzanita (U)
<i>Arctostaphylos glandulosa</i> ssp. <i>zacaensis</i> (Eastw.) P. Wells	Zaca Lake Manzanita (U)
<i>Arctostaphylos patula</i> Greene	Greenleaf Manzanita (R)
<i>Arctostaphylos pungens</i> H.B.K.	Pungent Manzanita (R)
<i>Aristida adscensionis</i> L.	Six-weeks Three-awn Grass (R)
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.	Poverty Three-awn Grass (R)
<i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent	Hook Three-awn Grass (R)
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>	Silver or Western Mugwort (R)
<i>Artemisia nesiotica</i> Raven	Island Sagebrush (R)
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements	Parish Great Basin Sagebrush (R, W Limits)
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Vasey Great Basin or Mountain Sagebrush (R)
<i>Arthrocnemum</i> [<i>Salicornia</i>] <i>subterminalis</i> (Parish) Standley	Common or Parish Glasswort (R)
<i>Asclepias erosa</i> Torrey	Desert Milkweed (R)
<i>Asclepias vestita</i> Hook. & Arn.	Woolly Milkweed (R)
<i>Aspidotis californica</i> (Hooker) Nuttall ex Copeland	California Lace Fern (U)
<i>Asplenium vespertinum</i> Maxon	Western Spleenwort (R)
<i>Aster ascendens</i> Lindley	Long-leaved Aster (R)
<i>Aster chilensis</i> Nees	Common California Aster (U)
<i>Aster greatae</i> Parish	Greata's Aster (R)
<i>Aster lanceolatus</i> ssp. <i>hesperius</i> (Gray) Semple & Chmielewski	Siskiyou Aster (R)
<i>Astragalus asymmetricus</i> E. Sheldon	Cockeyed Milkvetch (R)
<i>Astragalus brauntonii</i> Parish	Braunton Milkvetch (R)
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>	Two-seeded Milkvetch (R)
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jepson	Disperse Two-seeded Milkvetch (R)
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.	South Coast Two-seeded Milkvetch (R)
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.	San Luis Obispo Two-seeded Milkvetch (R)
<i>Astragalus douglasii</i> (T. & G.) Gray var. <i>douglasii</i>	Douglas Milkvetch (R)
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones	Parish Milkvetch (R)
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed (R)
<i>Astragalus gambelianus</i> E. Sheldon	Dwarf Locoweed (R)
<i>Astragalus lentiginosus</i> Hook. var. <i>diphysus</i>	Freckled Locoweed (R)
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones	Black-sepaled Freckled Locoweed (R)
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch (R)
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod (R)
<i>Astragalus macgregorii</i> (Rydb.) Tidestr.	MacGregor Locoweed (R, Type)
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray	Salinas Valley Milkvetch (R)
<i>Astragalus miguelensis</i> Greene	San Miguel Milkvetch (R)
<i>Astragalus oxyphysus</i> Gray	Robust Milkvetch (R)
<i>Astragalus pachypus</i> Greene var. <i>pachypus</i>	Milkvetch (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Astragalus pachypus</i> var. <i>jaegeri</i> Munz	Jaeger Milkvetch (R, N Limits)
<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz	Ventura Marsh Milkvetch (R/E)
<i>Astragalus traskiae</i> Eastwood	Trask Locoweed or Milkvetch (R)
<i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i>	Three-pod Milkvetch (R)
<i>Astragalus trichopodus</i> var. <i>lonchus</i> (M.E. Jones) Barneby	Three-pod Milkvetch (R)
<i>Astragalus whitneyi</i> Gray var. <i>whitneyi</i>	Whitney Locoweed (R)
<i>Astragalus whitneyi</i> var. <i>pinosus</i> Elmer	Mount Pinos Locoweed (R, Type)
<i>Athysanus pusillus</i> (Hook.) Greene	Dwarf Athysanus (R)
<i>Atriplex argentea</i> var. <i>mohavensis</i> M.E. Jones	Mojave Silverscale (R)
<i>Atriplex californica</i> Moq.	California Saltbush (U)
<i>Atriplex canescens</i> ssp. <i>linearis</i> (S. Watson) H.M. Hall & Clements	Narrowleaf Fourwing Saltbush (R)
<i>Atriplex coulteri</i> (Moq.) D. Dietr.	Coulter Saltbush (R)
<i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i>	Big Saltbush, Quailbrush (R, W Limits)
<i>Atriplex leucophylla</i> (Moq.) D. Dietr.	Whiteleaf, Beach Saltbush or Seascale (U)
<i>Atriplex pacifica</i> Nelson	South Coast Saltbush (R)
<i>Atriplex polycarpa</i> (Torrey) S. Watson	Common Saltbush, Allscale (R)
<i>Atriplex serenana</i> var. <i>davisonii</i> (Standley) Munz	Davidson Bractscale (R)
<i>Atriplex serenana</i> Nelson var. <i>serenana</i>	Bractscale (R)
<i>Atriplex subspicata</i> (Nutt.) Rydb.	Saline Saltscale (R)
<i>Atriplex triangularis</i> Willd.	Spearscale (R)
<i>Atriplex watsonii</i> Nelson	Matscale (R)
<i>Azolla filiculoides</i> Lam	Duckweed Fern (U)
<i>Baccharis douglasii</i> DC.	Marsh Baccharis, Douglas False-willow
<i>Baccharis emoryi</i> Gray	Emory Baccharis (R)
<i>Baccharis malibuensis</i> Beauchamp & Henrickson	Malibu Baccharis (R)
<i>Baccharis plummerae</i> Gray	Plummer Baccharis (U) CNPS List 4
<i>Balsamorhiza deltoidea</i> Nuttall	Balsamroot, Chuchupate (U)
<i>Barbarea orthoceras</i> Ledeb.	American Wintercress (R)
<i>Batis maritima</i> L.	Saltwort, Beachwort (R)
<i>Berberis dictyota</i> Jeps.	Dull-leaf or Jeps. Holly-leaved Barberry (R)
<i>Berberis pinnata</i> ssp. <i>insularis</i> Munz	Island Barberry (R)
<i>Berula erecta</i> (Huds.) Coville	Cutleaf Water-parsnip (R)
<i>Bidens frondosa</i> L.	Sticktight (R)
<i>Bidens laevis</i> (L.) Britton, Sterns & Pogg.	Bur-marigold (R)
<i>Bloomeria crocea</i> ssp. <i>montana</i> (E. Greene) Ingram	Mountain Goldenstars (R)
<i>Bolboschoenous maritimus</i> (L.) Palla var. <i>paludosus</i> (Nelson) Koyama	Saltmarsh Bulrush (R)
<i>Bolboschoenous maritimus</i> X <i>B. robustus</i>	Hybrid Bulrush (R)
<i>Bolboschoenous robustus</i> (Pursh) Soják, Cas. Nár.	Seashore Bulrush (R)
<i>Boschniakia strobilacea</i> Gray	California Ground Cone (R)
<i>Bothriochloa barbinodis</i> (Lagasca) Herter	Cane Bluestem (R)
<i>Botrychium simplex</i> E. Hitchc.	Least Moonwort, Little Grapefern (R)
<i>Bowlesia incana</i> Ruiz Lopez & Pavon	Hoary Bowlesia (U)
<i>Boykinia occidentalis</i> T. & G.	Santa Lucia Brookfoam (R)
<i>Boykinia rotundifolia</i> C. Parry	Roundleaved Boykinia (R)
<i>Brickellia californica</i> (T. & G.) Gray X <i>B. nevinii</i> Gray	California-Nevin Brickellbush Hybrid (R)
<i>Brodiaea terrestris</i> ssp. <i>kernensis</i> (Hoover) Niehaus	Harvest Brodiaea (R)
<i>Bromus arizonicus</i> (Shear) Stebbins	Arizona Brome (R)
<i>Bromus grandis</i> (Shear) A. Hitchc.	Tall or Grand Brome (R)
<i>Bromus laevipes</i> Shear	Woodland Brome (R)
<i>Bromus orcuttianus</i> (Shear) A. Hitchc.	Orcutt Brome (R)
<i>Bromus pseudolaevipes</i> Wagnon	Woodland Brome (R)
<i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i>	American Searocket (R)
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia (R) CNPS List 4
<i>Calandrinia maritima</i> Nutt.	Seaside Redmaids (R) CNPS List 4
<i>Callitriche marginata</i> Torrey	California Water-starwort, Wallow Starwort (R)
<i>Calocedrus decurrens</i> (Torrey) Florin	Incense Cedar (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Calochortus catalinae</i> S. Watson	Catalina Mariposa Lily (U) CNPS List 4
<i>Calochortus clavatus</i> S. Watson ssp. <i>clavatus</i>	Club-haired Mariposa Lily (U) CNPS List 4
<i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz	Pale Yellow Mariposa Lily (R)
<i>Calochortus invenustus</i> E. Greene	Plain Mariposa Lily (U)
<i>Calochortus luteus</i> Lindley	Gold Nuggets (R)
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily (R) CNPS List 1B
<i>Calochortus plummerae</i> Greene	Plummer Mariposa Lily (R) CNPS List 1B
<i>Calochortus splendens</i> Benth.	Splendid or Lilac Mariposa Lily (U)
<i>Calochortus weedii</i> var. <i>vestus</i> Purdy	Weed Mariposa Lily (R) CNPS List 1B
<i>Calyptridium monospermum</i> Greene	One-seeded Pussy Paws (R)
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium (U)
<i>Calyptridium umbellatum</i> (Torrey) Greene	Pussy Paws (U)
<u><i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt</u>	<u>Island Morning-glory (R)</u>
<i>Calystegia macrostegia</i> (E. Greene) Brummitt ssp. <i>macrostegia</i>	Morning-glory (U)
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoides</i> (Greene) Munz	Tehachapi Morning-glory (R)
<i>Calystegia occidentalis</i> ssp. <i>fulcrata</i> (Gray) Brummitt	Western Morning-glory (R)
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt	Woolly Western Morning-glory (R)
<i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt	Bingham Morning-glory (R) CNPS List 1A
<i>Calystegia soldanella</i> (L.) R. Br.	Beach Morning-glory (U)
<i>Camissonia campestris</i> cf. ssp. <i>obispoensis</i> Raven	San Luis Obispo Sun-cup (R)
<u><i>Camissonia cheiranthifolia</i> (Sprengel) Raim ssp. <i>cheiranthifolia</i></u>	<u>Beach Primrose (R)</u>
<i>Camissonia cheiranthifolia</i> ssp. <i>suffruticosa</i> (S. Watson) Raven	Beach Primrose (U)
<i>Camissonia confusa</i> Raven	Confusing Primrose (R)
<i>Camissonia graciliflora</i> (Hooker & Arnott) Raven	Hill Sun-cup (R)
<i>Camissonia ignota</i> (Jepson) Raven	Small Primrose (U)
<i>Camissonia luciae</i> Raven	Santa Lucia Sun-cup (R)
<i>Camissonia micrantha</i> (Sprengel) Raven	Tiny Primrose (R)
<i>Camissonia pallida</i> (Abrams) Raven ssp. <i>pallida</i>	Pale Primrose (R)
<i>Camissonia palmeri</i> (S. Watson) Raven	Palmer Primrose (R)
<i>Cardamine breweri</i> S. Watson var. <i>breweri</i>	Brewer's Bitter-cress (R)
<i>Cardamine californica</i> (T. & G.) Greene var. <i>californica</i>	California Milkmaids (R)
<i>Cardamine oligosperma</i> Torrey & Gray	Few-seeded Bitter-cress (R)
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>	Toothwort (R)
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.	Sand Mat (R)
<i>Carex abrupta</i> Mackenzie	Abrupt-beaked Sedge (R)
<i>Carex alma</i> L. Bailey	Sturdy Sedge (R)
<i>Carex athrostachya</i> Olney	Slender-beaked Sedge (R)
<i>Carex aurea</i> Nuttall	Golden-fruited Sedge (R)
<i>Carex barbarae</i> Dewey	Santa Barbara Sedge (R)
<i>Carex bolanderi</i> Olney	Bolander Sedge (R)
<i>Carex densa</i> L. Bailey	Dense Sedge (R)
<i>Carex douglasii</i> Boott	Douglas Sedge (R)
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.	Short-grass Sedge (R)
<i>Carex fracta</i> Mackenzie	Fragile-sheathed Sedge (R)
<i>Carex globosa</i> Boott	Round-fruited Sedge (R)
<i>Carex lanuginosa</i> Michaux	Woolly Sedge (R)
<i>Carex multicaulis</i> L. Bailey	Many-stemmed Sedge (R)
<i>Carex nebrascensis</i> Dewey	Nebraska Sedge (R)
<i>Carex pansa</i> L. Bailey	Sand Dune Sedge (R)
<i>Carex praeegracilis</i> W. Boott	Clustered Field Sedge (U)
<i>Carex subfusca</i> W. Boott	Brown Sedge (U)
<i>Carex triquetra</i> Boott	Triangular-fruited Sedge (R)
<i>Castilleja angustifolia</i> (Nuttall) G. Don	Desert Indian Paintbrush (R)
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard	Eastwood Indian Paintbrush (R)
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard	Valley Tassels (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>	Dense-flowered Owl's Clover (R)
<i>Castilleja foliolosa</i> Hook. & Arn.	Woolly Indian Paintbrush (U)
<i>Castilleja gyroloba</i> Pennell	Indian Paintbrush (R, Type)
<i>Castilleja lanata</i> ssp. <i>hololeuca</i> (Greene) Chuang & Heckard	White-felted Indian Paintbrush (R)
<i>Castilleja linariifolia</i> Benth.	Linaria-leaved Indian Paintbrush (R)
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush (R)
<i>Castilleja minor</i> ssp. <i>spiralis</i> (Jeps.) Chuang & Heckard	Large-flowered Annual Indian Paintbrush (R)
<i>Castilleja mollis</i> Pennell	Soft-leaved Indian Paintbrush (R)
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	San Francisco Long-leaved Indian Paintbrush (R)
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower (R)
<i>Caulanthus anceps</i> Payson	Lemmon Mustard (R)
<i>Caulanthus californicus</i> (S. Watson) Payson	California Jewelflower (R) Fed-Endangered
<i>Caulanthus coulteri</i> S. Watson var. <i>coulteri</i>	Coulter Jewelflower (U)
<i>Caulanthus coulteri</i> var. <i>lemmonii</i> (S. Watson) Munz	Lemmon Jewelflower (R)
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower (R)
<i>Caulanthus inflatus</i> S. Watson	Desert Candle (R)
<i>Ceanothus dentatus</i> T. & G.	Dentate Ceanothus (R)
<i>Ceanothus greggii</i> ssp. <i>vestitus</i> (Greene) McMinn	Mojave Ceanothus (U)
<i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastw.) Munz	Island Ceanothus (R)
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus (R)
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover	Jim Brush (R)
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus (U)
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>	Wartleaf Ceanothus (U)
<i>Celtis reticulata</i> Torrey	Netleaf Hackberry (R)
<i>Centaureium exaltatum</i> (Griseb.) W. Wright ex Piper	Great Basin Centaury (R)
<i>Centaureium venustum</i> (A. Gray) B.L. Robins. ssp. <i>venustum</i>	Beautiful Centaury, Canchalagua (R)
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin	Southern Tarplant (R)
<i>Centrostephia thurberi</i> var. <i>macrotheca</i>	Thurber Spineflower (R)
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail (R)
<i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little	Island Mountain Mahogany (R)
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren	Cut-leaved Mountain Mahogany (U)
<i>Chaenactis artemisiifolia</i> (Gray) Gray	White Pincushion (U)
<i>Chaenactis fremontii</i> A. Gray	Desert Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall	Different-seeded Yellow Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall	Woolly Yellow Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray	Big-flowered Yellow Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall	Woolly Yellow Pincushion (R) CNPS List 1B
<i>Chaenactis stevioides</i> Hook. & Arn.	Desert Pincushion (R)
<i>Chaenactis xantiana</i> Gray	Xantus Pincushion (R)
<i>Chamaesyce albomarginata</i> (Torrey & A. Gray) Small	Rattlesnake Spurge (U)
<i>Chamaesyce ocellata</i> (Durand & Hilg.) Millsp. ssp. <i>ocellata</i>	Littleeye Spurge (R)
<i>Chamaesyce polycarpa</i> (Benth.) Millsp.	Golondrina (R)
<i>Cheilanthes clevelandii</i> D.C. Eaton.	Cleveland Lip-fern (R)
<i>Cheilanthes cooperae</i> D.C. Eaton	Mrs. Cooper Lip-fern (R)
<i>Cheilanthes newberryi</i> (D.C. Eaton) Domin	Cotton Fern (R)
<i>Chenopodium atrovirens</i> Rydb.	Pigweed (R)
<i>Chenopodium berlandieri</i> Moq.	Pitseed Goosefoot (U)
<i>Chenopodium fremontii</i> S. Watson	Fremont Goosefoot (U)
<i>Chenopodium pratericola</i> Rydb.	Narrow-leaved Goosefoot (R)
<i>Chorizanthe blakleyi</i> Hardham	Blakley's Spineflower (R)
<i>Chorizanthe clevelandii</i> C. Parry	Cleveland Spineflower (R)
<i>Chorizanthe douglasii</i> Benth.	Douglas Spineflower (R)
<i>Chorizanthe membranacea</i> Benth.	Pink Spineflower (R)
<i>Chorizanthe parryi</i> var. <i>fernandina</i> (S. Watson) Jepson	San Fernando Valley Spineflower (R) Endangered
<i>Chorizanthe procumbens</i> Nutt.	Prostrate Spineflower (R)
<i>Chorizanthe staticoides</i> forma <i>bracteata</i> Goodman	Bracted Turkish Rugging (R, Type)

Scientific Name

Chorizanthe uniaristata T. & G.
Chorizanthe watsonii T. & G.
Chrysothamnus nauseosus ssp. *albicaulis* (Nutt.) Hall & Clem.
Chrysothamnus nauseosus ssp. *bernardinus* (Hall) Hall & Clements
Chrysothamnus nauseosus ssp. *consimilis* (Greene) Hall & Clements
Chrysothamnus parryi ssp. *asper* (Greene) Hall & Clements
Chrysothamnus teretifolius (Durand & Hilg.) H.M. Hall
Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. *viscidiflorus*
Cicuta douglasii (DC.) Coulter & Rose
Cirsium brevistylum Cronq.
Cirsium occidentale var. *venustum* (E. Greene) Jepson
Cirsium scariosum Nuttall
Clarkia affinis Lewis & Lewis
Clarkia cylindrica (Jepson) H. Lewis & M. Lewis ssp. *cylindrica*
Clarkia cylindrica ssp. *clavicaarpa* W. Davis
Clarkia dudleyana (Abrams) J.F. Macbr.
Clarkia epilobioides (Nutt.) A. Nels. & J.F. Macbr.
Clarkia modesta Jeps.
Clarkia purpurea ssp. *viminea* (Douglas) Lewis & Lewis
Clarkia rhomboidea Douglas
Clarkia xantiana Gray ssp. *xantiana*
Claytonia exigua T. & G. ssp. *exigua*
Claytonia parviflora Hook. ssp. *parviflora*
Claytonia parviflora ssp. *viridis* (Davidson) J.M. Miller & Chambers
Claytonia perfoliata ssp. *mexicana* (Rydb.) J.M. Miller & Chambers
Claytonia rubra (J.T. Howell) Tidestrom ssp. *rubra*
Collinsia bartsiiifolia var. *davidsonii* (Parish) V. Newsom
Collinsia callosa Parish
Collinsia parryi A. Gray
Collinsia parviflora Lindley
Collinsia torreyi var. *wrightii* (S. Watson) I.M. Johnston
Collomia grandiflora Lindley
Collomia tinctoria Kellogg
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G. Wallace
Convolvulus simulans Perry
Conyza coulteri Gray
Cordylanthus maritimus Benth. ssp. *maritimus*
Cordylanthus nevinii A. Gray
Cordylanthus rigidus ssp. *setiferus* Chuang & Heckard
Coreopsis calliopsidea (DC.) A. Gray
Cornus glabrata Bentham
Cornus sericea L. ssp. *sericea*
Crassula aquatica (L.) Schönl.
Crepis acuminata Nuttall
Crepis occidentalis Nuttall ssp. *occidentalis*
Crepis occidentalis ssp. *pumila* (Rydb.) Babcock & Stebbins
Cressa truxillensis Kunth var. *truxillensis*
Cryptantha barbiger (A. Gray) E. Greene
Cryptantha clevelandii E. Greene
Cryptantha corollata (I.M. Johnston) I.M. Johnston
Cryptantha decipiens (M.E. Jones) A.A.Heller
Cryptantha echinella E. Greene
Cryptantha flaccida (Lehm.) E. Greene
Cryptantha leiocarpa (Fischer & C. Meyer) E. Greene
Cryptantha maritima (Greene) Greene

Common Name

One-awned Spineflower (R)
 Watson Spineflower (R)
 White-stemmed Rubber Rabbitbrush (R)
 San Bernardino Rubber Rabbitbrush (R)
 Common Rubber Rabbitbrush (U)
 Parry Rabbitbrush (R)
 Round-leaved Rabbitbrush (R)
 Yellow Rabbitbrush (R)
 Western Water-hemlock (R)
 Indian Thistle (R)
 Red or Venus Thistle (U)
 Elk Thistle (R)
 Hairy Clarkia (R)
 Cylindrical Godetia (R)
 Cylindrical Godetia (R)
 Dudley Godetia (R)
 Willow-herb Godetia (U)
 Modest Clarkia (R)
 Large Purple Clarkia (R)
 Rhomboid Clarkia (R)
 Xantus Clarkia (R)
 Small Miner's Lettuce (U)
 Small-flowered Miner's Lettuce (U)
 Small-flowered Miner's Lettuce (R)
 Miner's Lettuce (U)
 Red Miner's Lettuce (U)
 Davidson White Chinese Houses (R)
 Large-fruited Blue-eyed Mary (R)
 Parry Blue-eyed Mary (R)
 Blue-eyed Mary, Blue Lips (R)
 Wright Blue-eyed Mary (R)
 Large-flowered Collomia (R)
 Yellow-staining Collomia (R)
 Simpleleaf Summer Holly (R)
 Small-flowered Morning-glory (R)
 Coulter Horseweed (R)
 Saltmarsh Birds-beak (R) Listed E
 Nevin Bird's-Beak (U)
 Dark-tipped Rigid Bird's-Beak (U)
 Leafy-stemmed Coreopsis (R)
 Brown Dogwood (R)
 American or Creek Dogwood (R)
 Water Pigmy -Weed (R)
 Long-leaved Hawksbeard (R)
 Western Hawksbeard (U)
 Western Hawksbeard (R)
 Spreading Alkali-Weed (R)
 Bearded Forget-Me-Not (R)
 Cleveland Forget-Me-Not (R)
 Crowned Forget-Me-Not (R, Type)
 Gravel Forget-Me-Not (R)
 Prickly Forget-Me-Not (U)
 Flaccid Forget-Me-Not (R)
 Coast Forget-Me-Not (R)
 Seaside Forget-Me-Not (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Cryptantha micrantha</i> (Torrey) I.M. Johnston	Eremocarya (R)
<i>Cryptantha micromeres</i> (A. Gray) E. Greene	Minute-flowered Forget (R)
<i>Cryptantha microstachys</i> (A. Gray) E. Greene	Tejon Forget-Me-Not (U)
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not (R)
<i>Cryptantha nemaclada</i> E. Greene	Colusa Forget-Me-Not (U)
<i>Cryptantha nevadensis</i> A. Nelson & Kennedy	Nevada Forget-Me-Not (R)
<i>Cryptantha oxygona</i> (A. Gray) E. Greene	Sharp-not Forget-Me-Not (R)
<i>Cryptantha simulans</i> E. Greene	Pine Forget-Me-Not (R)
<i>Cryptantha torreyana</i> (A. Gray) E. Greene	Torrey Forget-Me-Knot (R)
<i>Cryptantha traskiae</i> I.M. Johnston	Trask Forget-Me-Not (R)
<i>Cuscuta californica</i> var. <i>breviflora</i> Engelm.	California Dodder (R)
<i>Cuscuta denticulata</i> Engelm.	Desert Dodder (R)
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>	Pretty Dodder (R)
<i>Cuscuta pentagona</i> Engelm.	Field Dodder (R)
<i>Cuscuta salina</i> var. <i>major</i> Yuncker	Saltmarsh Dodder (R)
<i>Cuscuta subinclusa</i> Durand & Hilg.	Canyon Dodder (U)
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz	Elegant Cycladenia (R)
<i>Cyperus acuminatus</i> Torrey & Hook.	Short-pointed Umbrella-sedge (R)
<i>Cyperus erythrorhizos</i> Muhlenb.	Red-root Flatsedge (R)
<i>Cyperus laevigatus</i> L.	Smooth Flatsedge (R)
<i>Cyperus odoratus</i> L.	Flatsedge (R)
<i>Cyperus squarrosus</i> L.	Awned Flatsedge (R)
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern (R)
<i>Deinandra clementina</i> (Brandege) B.G. Baldwin	Island or Catalina Tarplant (R)
<i>Deinandra kelloggii</i> (E. Greene) E. Greene	Kellogg Tarplant (R)
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin	Santa Susana Tarplant (R, Type) Listed R
<i>Delphinium cardinale</i> Hooker	Scarlet or Cardinal Larkspur (U)
<i>Delphinium gracilentum</i> Greene	Coast Larkspur (R)
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>	Gypsum Larkspur (R) CNPS List 4
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling	Unexpected Larkspur (R) CNPS List 1B
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling	Dune Larkspur (R) CNPS List 1B
<i>Delphinium parryi</i> ssp. <i>maritimum</i> (Davidson) M.J. Warnock	Maritime Larkspur (R)
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Pinos Larkspur (U) CNPS List 4
<i>Delphinium patens</i> ssp. <i>hepaticoideum</i> Ewan	Spreading Larkspur (R)
<i>Delphinium patens</i> ssp. <i>montanum</i> (Munz) Ewan	Mountain Spreading Larkspur (R)
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling	Umbrella Larkspur (R) CNPS List 1B
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i>	Tufted Hairgrass (R)
<i>Deschampsia danthanooides</i> (Trin.) Munro ex Benth	Annual Hairgrass (R)
<i>Descurainia obtusa</i> ssp. <i>adenophora</i> (Wooton & Standley) Detl.	Desert Tansy Mustard (R)
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl.	Western Tansy Mustard (R)
<i>Descurainia pinnata</i> ssp. <i>menziesii</i> (DC.) Detl.	Menzies Tansy Mustard (U)
<i>Dicentra ochroleuca</i> Engelm.	White Eardrops, Yellow Dicentra (R)
<i>Dicentra pauciflora</i> S. Watson	Few-flowered Bleeding Heart (R)
<i>Dichelostemma congestum</i> (Sm.) Kunth	Ookow (R)
<i>Dichondra occidentalis</i> House	Western Dichondra (R) CNPS List 4
<i>Dithyrea maritima</i> (A. Davids.) Davidson	Beach Spectacle-pod (R)
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene	Alpine Shooting Star (R)
<i>Dodecatheon clevelandii</i> ssp. <i>insulare</i> H.L. Thompson	Island Shooting Star (R)
<i>Dodecatheon clevelandii</i> ssp. <i>patulum</i> (Greene) Thompson	Lowland Padre Shooting Star (R)
<i>Dodecatheon clevelandii</i> ssp. <i>sanctarum</i> (E. Greene) Abrams	Cleveland Shooting Star (U)
<i>Downingia bella</i> Hoover	Hoover Downingia (R)
<i>Draba cuneifolia</i> T. & G.	Wedgeleaf Draba (R)
<i>Dudleya abramsii</i> ssp. <i>parva</i> (Rose & Davids.) J. Bartel	Conejo Live-forever (R) Listed T
<i>Dudleya blochmaniae</i> (Eastw.) Moran ssp. <i>blochmaniae</i>	Blochman Live-forever (R) CNPS List 1B
<i>Dudleya caespitosa</i> (Haw.) Britt. & Rose	Sea Lettuce (R)
<i>Dudleya cymosa</i> ssp. <i>marcescens</i> Moran	Marcescent Live-forever (R, Type) Listed T

Scientific Name

Common Name

<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> (Britt.) Moran	Santa Monica Mtns. Live-forever (R) (Listed T
<i>Dudleya cymosa</i> ssp. <i>pumila</i> (Rose) K. Nakai	Pygmy Live-forever (U)
<i>Dudleya farinosa</i> (Lindley) Britt. & Rose	Farinose Live-forever (R)
<i>Dudleya pulverulenta</i> ssp. <i>arizonica</i> (Rose) Moran	Chalky Live-forever (R)
<i>Dudleya verityi</i> N. Nakai	Verity Live-forever (R) Listed T
<u><i>Dudleya virens</i> (Rose) Moran</u>	<u>Bright Green Live-forever (R)</u>
<i>Eastwoodia elegans</i> Brandegees	Yellow Mock Aster (R)
<i>Elatine brachysperma</i> Gray	Slender Waterwort (R)
<i>Elatine californica</i> Gray	California Waterwort (R)
<i>Eleocharis acicularis</i> (L.) Roemer & Schultes var. <i>acicularis</i>	Slender Spike-rush (U)
<i>Eleocharis bernardina</i> Munz & Johnston	Few-flowered Club-rush (R)
<i>Eleocharis macrostachya</i> Britt.	Common Spike-rush (U)
<i>Eleocharis montevidensis</i> Kunth	Sand Spike-rush (R)
<i>Eleocharis parishii</i> Britt.	Parish Spike-rush (U)
<i>Eleocharis rostellata</i> (Torrey) Torrey	Beaked Spike-rush (R)
<i>Elodea canadensis</i> Rich.	Common Waterweed (R)
<i>Elymus glaucus</i> ssp. <i>jepsonii</i> (Burt Davy) Gould	Jepson Blue or Woodland Wildrye (R)
<i>Elymus multisetus</i> (J.G. Smith) Burt Davy	Bottlebrush Squirreltail (R)
<i>Elymus stebbinsii</i> (Scribner & J.G. Smith) Gould	Wheatgrass (R)
<i>Elymus trachycaulus</i> (Link) Shinn. ssp. <i>trachycaulus</i>	Slender Wheatgrass (R)
<i>Encelia actoni</i> Elmer	Acton Brittlebush (R)
<i>Encelia frutescens</i> (Gray) Gray	Brittlebush, Incienso (R)
<i>Encelia virginiana</i> Nelson	Brittlebush (R)
<i>Enemion occidentale</i> (H. & A.) J.R. Drummond & Hutchinson	Western Meadow-rue (R)
<i>Ephedra californica</i> S. Watson	California Desert Tea, Cañatillo (R)
<i>Ephedra nevadensis</i> S. Watson	Nevada Ephedra or Mormon-tea (R)
<i>Epilobium brachycarpum</i> C. Presl	Panicled Willow-herb (U)
<i>Epilobium canum</i> ssp. <i>latifolium</i> (Hook.) Raven	Broad-leaved California Fuchsia (U)
<i>Epilobium ciliatum</i> ssp. <i>glandulosum</i> (Lehm.) P. Hoch & Raven	Sticky Northern Willow-herb (R)
<i>Epilobium densiflorum</i> (Lindley) P. Hoch & Raven	Dense-flowered Spike-primrose (R)
<i>Epilobium foliosum</i> (T. & G.) Suksd.	Leafy Spike-primrose (R)
<i>Epilobium glaberrimum</i> Barbey ssp. <i>glaberrimum</i>	Waxy Willow-herb (R)
<i>Epilobium pygmaeum</i> (Speg.) P. Hoch & Raven	Smooth Spike-primrose (R)
<i>Epilobium torreyi</i> (S. Watson) P. Hoch & Raven	Brook Spike-primrose (R)
<i>Epipactis gigantea</i> Hook.	Stream Orchid (U)
<i>Equisetum arvense</i> L.	Common or Field Horsetail (U)
<i>Equisetum Xferrissii</i> Clute	Ferris Horsetail (R)
<i>Equisetum hyemale</i> var. <i>affine</i> (Engelm.) Calder & R.L. Taylor	Common or Giant Scouring Rush (U)
<i>Equisetum telmateia</i> ssp. <i>braunii</i> (Milde) R.L. Hauke	Giant Horsetail (U)
<i>Eragrostis mexicana</i> (Hornem.) Link ssp. <i>mexicana</i>	Mexican Lovegrass (R)
<i>Eragrostis mexicana</i> var. <i>virescens</i> (C. Presl) Koch & E. Sanchez	Orcutt Lovegrass (R)
<i>Eragrostis pectinacea</i> (Michx.) Nees var. <i>pectinacea</i>	Tufted Lovegrass (R)
<i>Eremalche parryi</i> (E. Greene) E. Greene ssp. <i>parryi</i>	Parry Mallow (R)
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i> (Benth.) H. Mason	Elongate Woolly Star
<i>Eriastrum densifolium</i> ssp. <i>mohavensis</i> (Craig) H. Mason	Mojave Woolly Star (R)
<i>Eriastrum eremicum</i> (Jeps.) H. Mason ssp. <i>eremicum</i>	Woolly Star (R)
<i>Eriastrum filifolium</i> (Nutt.) Woot. & Standl.	Narrowleaf Woolly Star (R)
<i>Eriastrum hooveri</i> (Jepson) H. Mason	Hoover Woolly Star (R) CNPS List 4
<i>Eriastrum pluriflorum</i> (A.A. Heller) H. Mason	Woolly Star (R)
<i>Eriastrum sapphirinum</i> (Eastw.) H. Mason	Sapphire Woolly Star (R)
<i>Ericameria arborescens</i> (A. Gray) E. Greene	Golden-fleece (R)
<i>Ericameria cooperi</i> (Gray) H.M. Hall var. <i>cooperi</i>	Cooper Goldenbush (R)
<i>Ericameria cuneata</i> (Gray) McClatchie var. <i>cuneata</i>	Wedgeleaf Goldenbush (U)
<i>Ericameria cuneata</i> var. <i>spathulata</i> (A. Gray) H.M. Hall	Spatulate-leaved Goldenbush (R)
<i>Ericameria ericoides</i> (Less.) Jeps. ssp. <i>ericoides</i>	Heatherleaf Goldenbush (R)
<i>Ericameria palmeri</i> var. <i>pachylepis</i> (H.M. Hall) Nesom	Palmer Goldenbush (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Ericameria pinifolia</i> (Gray) H.M. Hall	Pine Goldenbush (R)
<i>Erigeron breweri</i> var. <i>covillei</i> (Greene) G. Neswom	Fleabane Daisy (R)
<i>Erigeron glaucus</i> Ker-Gawler	Seaside Daisy (R)
<i>Eriodictyon californicum</i> (Hooker & Arnott) Torrey	California Yerba Santa (R)
<i>Eriodictyon crassifolium</i> Bentham var. <i>crassifolium</i>	Thickleaf Yerba Santa (R)
<i>Eriodictyon traskiae</i> Eastw.	Trask Yerba Santa (R)
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>	Yerba Santa (R)
<i>Eriogonum angulosum</i> Benth.	Angle-stemmed Buckwheat (R)
<i>Eriogonum arborescens</i> Greene	Arborescent Buckwheat (U)
<i>Eriogonum baileyi</i> S. Watson var. <i>baileyi</i>	Bailey Buckwheat (U)
<i>Eriogonum covilleianum</i> Eastw.	Coville Buckwheat (R)
<i>Eriogonum crocatum</i> Davidson	Conejo or Saffron Buckwheat (R, Type)
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal	Flat-crown Buckwheat (R, Type)
<i>Eriogonum elegans</i> Greene	Elegant Buckwheat (R)
<i>Eriogonum gracillimum</i> S. Watson	Slender Buckwheat (R)
<i>Eriogonum grande</i> Greene var. <i>grande</i>	Island Buckwheat (U)
<i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz	Red Island Buckwheat (U)
<i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal	San Nicolas Island Buckwheat (U)
<i>Eriogonum heermannii</i> Durand & Hilg. var. <i>heermannii</i>	Heerman Buckwheat (U)
<i>Eriogonum hirtiflorum</i> S. Watson	Hairy-flowered Buckwheat (R)
<i>Eriogonum hooveri</i> (Reveal) Reveal	Hoover Buckwheat (U)
<i>Eriogonum inerme</i> (S. Watson) Jeps.	Unarmed Buckwheat (R)
<i>Eriogonum kennedyi</i> ssp. <i>alpigenum</i> (Munz & Johnston) Munz & Johnston	Alpine Kennedy Buckwheat (R) CNPS List 1B
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat (R) CNPS List 1B
<i>Eriogonum latifolium</i> Smith	Coast Buckwheat, Tibinagua (R)
<i>Eriogonum maculatum</i> A.A. Heller	Buckwheat (R)
<i>Eriogonum molestum</i> Greene	Pine Buckwheat (R)
<i>Eriogonum nudum</i> var. <i>westonii</i> (S. Stokes) J.T. Howell	Weston Barestem Buckwheat (U)
<i>Eriogonum nudum</i> var. <i>pubiflorum</i> Benth.	Hairy-flowered Barestem Buckwheat (U)
<i>Eriogonum ordii</i> S. Watson	Ord Buckwheat (R)
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat (U, Type)
<i>Eriogonum roseum</i> Durand & Hilg.	Rose Buckwheat (U)
<i>Eriogonum saxatile</i> S. Watson	Rock Buckwheat (U)
<i>Eriogonum spergulinum</i> ssp. <i>reddingianum</i> (Jones) J.T. Howell	Spurry Buckwheat (R)
<i>Eriogonum trichopes</i> Torrey var. <i>trichopes</i>	Little Trumpet (R)
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal	Sulphur Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>munzii</i> Reveal	Munz Yellow Buckwheat (U)
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes	Sulphur Buckwheat (R)
<i>Eriogonum viridescens</i> A. Heller	Green Buckwheat (R)
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.	Sheathed Wright Buckwheat (R)
<i>Eriophyllum jepsonii</i> Greene	Jepson Woolly Yarrow (R)
<i>Eriophyllum staechadifolium</i> Lagasca	Seaside Woolly Sunflower (U)
<i>Eryngium vaseyi</i> J. Coulter & Rose	Coyote Thistle or Button-celery (R)
<i>Erysimum insulare</i> Greene ssp. <i>insulare</i>	Island Wallflower (U)
<i>Erysimum insulare</i> ssp. <i>suffrutescens</i> (Abrams) R.A. Price	Island Wallflower (R)
<i>Eschscholzia caespitosa</i> Bentham ssp. <i>caespitosa</i>	Tufted Poppy (U)
<i>Eschscholzia hypocoides</i> Bentham	Gypsum Poppy (R)
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>	Lemmon Poppy (R) CNPS List 4
<i>Eschscholzia minutiflora</i> S. Watson	Tiny-flowered Poppy (R)
<i>Eschscholzia ramosa</i> (Greene) Greene	Island Poppy (R)
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>	Wood Spurge (R)
<i>Fimbristylis thermalis</i> S. Watson	Hot-Springs Fimbristylis (R)
<i>Forestiera pubescens</i> Nutt.	Desert Olive, Dwarf Swamp Privet (R)
<i>Fraxinus velutina</i> Torrey	Velvet or Arizona Ash (R)
<i>Fritillaria agrestis</i> E. Greene	Stink Bells (R) CNPS List 4
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>	Chocolate Lily, Mission Bells (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary (R, Type) CNPS List 1B
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary (R)
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb.	Channel Islands Bedstraw (R, Type)
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw (R)
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>	California Bedstraw (R)
<i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb.	Santa Barbara Bedstraw (R)
<i>Galium nuttallii</i> A. Gray ssp. <i>nuttallii</i>	San Diego or Climbing Bedstraw (U) CNPS List 4
<i>Galium porrigens</i> Dempster var. <i>porrigens</i>	Climbing Bedstraw (U)
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand	Coastal Bedstraw (R)
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw (R)
<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> H. Lewis & J. Szweykowski	Diffuse Gayophytum (R)
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski	Hybrid Gayophytum (R)
<i>Gayophytum racemosum</i> T. & G.	Black-foot Gayophytum (R)
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium (R)
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill (R)
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia (U)
<i>Gilia achilleifolia</i> Benth. ssp. <i>multicaulis</i> (Benth.) V. & A. Grant	Many-stemmed California Gilia (R)
<i>Gilia angelensis</i> V. Grant	Los Angeles Gilia (R)
<i>Gilia australis</i> (Mason & A. Grant) V. Grant & A. Grant	Southern Gilia (R)
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia (R)
<i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day	Purple-flowered Breccia Gilia (R)
<i>Gilia capillaris</i> Kellogg	Miniature or Smooth-leaved Gilia (R)
<i>Gilia clivorum</i> (Jeps.) V. Grant	Island Gilia (R)
<i>Gilia interior</i> (Mason & A. Grant) A. Grant	Slender-flowered Gilia (R)
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant	Cuyama Gilia (R) CNPS List 4
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant	Davy Broad-flowered Gilia (R)
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant	Gabriel Trumpet (U) CNPS List 4
<i>Gilia nevinii</i> Gray	Nevin Gilia (U)
<i>Gilia sinuata</i> Benth.	Sinuata Gilia (R)
<i>Gilia splendens</i> H. Mason & A. Grant ssp. <i>splendens</i>	Splendid Gilia (U)
<i>Gilia tetrabreccia</i> A. & V. Grant	Mount Piños Gilia (R)
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant	Desert Gilia (R)
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>	Southern Bluecup (R)
<i>Grindelia camporum</i> var. <i>bracteosum</i> (J.T. Howell) M.A. Lane	Bracted Gumplant (U)
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>	Great Valley Gumplant (R)
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant (R, Type)
<i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane	Island Gumplant (R)
<i>Grindelia latifolia</i> Kellogg ssp. <i>latifolia</i>	Coastal Gumplant (R)
<i>Guillenia lasiophylla</i> (Hook. & Arn.) Greene	California Mustard (R)
<i>Gutierrezia sarothrae</i> (Pursh) Britton & Rusby	Broom Snakeweed, Matchweed (R)
<i>Hazardia detonsa</i> (Greene) Greene	Island Goldenbush (R)
<i>Hazardia squarrosa</i> (Hooker & Arnold) E. Greene var. <i>squarrosa</i>	Sawtooth Goldenbush (R)
<i>Helenium bigelovii</i> Gray	Bigelow Sneezeweed (U)
<i>Helenium puberulum</i> DC.	Rosilla (R)
<i>Helianthemum scoparium</i> Nutt.	Peak Rushrose (U)
<i>Helianthus gracilentus</i> Gray	Wild Mountain or Slender Sunflower (R)
<i>Hemizonella minima</i> (Gray) Gray	Mini Tarplant (U)
<i>Hesperovax sparsiflora</i> (A. Gray) E. Greene var. <i>sparsiflora</i>	Few-leaved Evax (R)
<i>Hesperochiron californicus</i> (Benth.) S. Watson	California Hesperochiron (R)
<i>Hesperochiron pumilus</i> (Griseb.) Porter	Hesperochiron (R)
<i>Hesperocnide tenella</i> Torrey	Western Nettle (R)
<i>Heterotheca psammophila</i> B. Wagenkn.	Camphor Weed (R)
<i>Heterotheca sessiliflora</i> (Nutt.) Shinnars ssp. <i>sessiliflora</i>	Hairy Golden-Aster (R)
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple	Camphor Golden-Aster (R)
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i> (Benth.) Semple	Hairy Golden-Aster (U)
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i> (Greene) Semple	Hairy Golden-Aster (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Heuchera abramsii</i> Rydb.	Abrams Alumroot (R)
<i>Heuchera cespitosa</i> Eastw.	Alumroot (R)
<i>Heuchera elegans</i> Abrams	Urn-flowered Alumroot (R)
<i>Heuchera maxima</i> Greene	Island Alumroot (R)
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed (R)
<i>Hieracium argutum</i> Nuttall	Southern California Hawkweed (R)
<i>Hieracium horridum</i> Fries	Shaggy or Woolly Hawkweed (R)
<i>Hoffmannseggia glauca</i> (Ortega) Eifert	Pig-nut, Hog Potato (R)
<i>Hoita orbicularis</i> (Lindley) Rydb.	Round-leaved Hoita (R)
<i>Hollisteria lanata</i> S. Watson	Hollisteria (R)
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant (R)
<i>Holodiscus discolor</i> (Pursh) Maxim.	Oceanspray, Cream Bush (R)
<i>Holodiscus microphyllus</i> Rydb. var. <i>macrophyllus</i>	Rock Spiraea (R)
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>	Meadow Barley (R)
<i>Hordeum brachyantherum</i> ssp. <i>californicum</i> (Covas & Stebb.) v. Bothner et al.	California Barley (R)
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.	Low Barley (R)
<i>Hordeum intercedens</i> Nevski	Vernal Barley (R)
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>	Wedgeleaf Horkelia (R)
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck	Fuzzy Horkelia (R)
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia (R)
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea (R)
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea (R)
<i>Hutchinsia procumbens</i> (L.) Desv.	Desert Hutchinsia (R)
<i>Hydrocotyle verticillata</i> Thunb.	Marsh Pennywort (R)
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter	St. John's Wort (R)
<i>Imperata brevifolia</i> Vasey	Satintail (R)
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris] (R)
<i>Isocoma acradenia</i> (E. Greene) E. Greene	Desert Goldenbush (R)
<i>Isocoma menziesii</i> (Hook. & Arn.) G. Nesom var. <i>menziesii</i>	Coastal Goldenbush (R)
<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	Low Clubrush (R)
<i>Isocoma menziesii</i> var. <i>sedoides</i> (E. Greene) G. Nesom	Coastal Goldenbush (R)
<i>Isoetes howellii</i> Engelm. var. <i>howellii</i>	Howell Quillwort (R)
<i>Isoetes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer	Small Howell Quillwort (R)
<i>Isoetes nuttallii</i> A. Braun	Nuttall Quillwort (R)
<i>Ivesia santolinoides</i> A. Gray	Mousetail Ivesia (R)
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed (R)
<i>Jaumea carnosa</i> (Less.) Gray	Fleshy Jaumea (U)
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	Yosemite Tarplant (R)
<i>Jepsonia malvifolia</i> (Greene) Small	Island Jepsonia (R)
<i>Juglans californica</i> S. Watson var. <i>californica</i>	Southern California Black Walnut (U) CNPS List 4
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush (U) CNPS List 4
<i>Juncus arcticus</i> ssp. <i>vallicola</i> (Rydb.) Lint	Valley Baltic Rush (R)
<i>Juncus balticus</i> Willd. var. <i>ater</i> (Rydb.) Snogerup	Rocky Mountain Rush (U)
<i>Juncus bufonius</i> L. var. <i>bufonius</i>	Common Toad Rush (R)
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Hermann	Western Toad Rush (R)
<i>Juncus confusus</i> Cov.	Colorado Rush (R)
<i>Juncus effusus</i> ssp. <i>pacificus</i> (Fern. & Wieg.) H.L. Lint	Pacific Rush (U)
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	Swordleaf or Three-stamen Rush (R)
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush (R)
<i>Juncus macrophyllus</i> Cov.	Large-leaf Rush (U)
<i>Juncus nevadensis</i> S. Watson	Sierra Rush (R)
<i>Juncus oxymetris</i> Engelm.	Iris-leaved or Pointed Rush (R)
<i>Juncus patens</i> E. Meyer	Spreading Rush (R)
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	Brown-fruited Rush (R)
<i>Juncus rugulosus</i> Engelm.	Wrinkled Rush (R)
<i>Juncus textilis</i> Buchenau	Indian or Basket Rush (U)

Scientific Name

Keckiella breviflora (Lindley) I.M. Johnston var. *breviflora*
Koeleria macrantha (Ledeb.) J.A. Schultes
Krascheninnikovia lanata (Pursh) A.D.J. Meeuse & Smit
Lagophylla ramosissima Nutt. ssp. *ramosissima*
Lastarriaea coriacea (Goodman) Hoover
Lasthenia coronaria (Nutt.) Ornduff
Lasthenia ferrisiae Ornduff
Lasthenia glabrata ssp. *coulteri* (Gray) Ornduff
Lathyrus vestitus ssp. *bolanderi* (S. Watson) C. Hitchc.
Lathyrus vestitus ssp. *laetiflorus* (Greene) Broich
Lathyrus vestitus ssp. *laeivarpus* Broich
Lavatera assurgentiflora Kellogg ssp. *assurgentiflora*
Layia glandulosa ssp. *lutea* Keck
Layia glandulosa ssp. *rosea* Gray
Layia heterotricha (DC.) Hook. & Arn.
Layia pentachaeata ssp. *albida* Keck
Layia platyglossa (Fischer & C. Meyer) A. Gray
Lemna gibba L.
Lemna minor L.
Lemna minuscula Herter
Lemna turionifera Landolt
Lemna valdiviana Philippi
Lepechinia calycina (Benth) Epling
Lepechinia fragrans (E. Greene) Epling
Lepechinia sp. nova (Boyd et al. in ed.)
Lepidium campestre (L.) R. Br.
Lepidium dictyotum A. Gray var. *dictyotum*
Lepidium dictyotum var. *acutidens* A. Gray
Lepidium lasiocarpum Nutt. var. *lasiocarpum*
Lepidium nitidum Torrey & A. Gray var. *nitidum*
Lepidium strictum (S. Watson) Rattan
Lepidium virginicum var. *pubescens* (Greene) Thell.
Leptochloa uninervia (C. Presl) A. Hitchc. & Chase
Leptodactylon pungens ssp. *hallii* (Parish) H. Mason
Leptodactylon pungens ssp. *pulchriflorum* (Brand) H. Mason
Lessingia glandulifera var. *peirsonii* (J.T. Howell) Markos
Lessingia pectinata var. *tenuipes* (J.T. Howell) Markos
Lessingia tenuis (Gray) Cov.
Lewisia pygmaea (A. Gray) Robinson
Lewisia rediviva ssp. *minor* (Rydb.) Munz
Lilium humboldtii ssp. *ocellatum* (Kellogg) Thorne
Lilium pardalinum Kellogg ssp. *pardalinum*
Limonium californicum (Boiss.) A.A. Heller
Limosella acaulis Sesse & Mocino
Linanthus bicolor (Nutt.) Greene
Linanthus bigelovii (Gray) Greene
Linanthus ciliatus (Benth.) Greene
Linanthus dianthiflorus (Benth.) Greene
Linanthus dichotomus Benth.
Linanthus liniflorus (Benth.) Greene ssp. *liniflorus*
Linanthus liniflorus ssp. *pharnaceoides* (Benth.) Mason
Linanthus parryae (Gray) Greene
Linanthus pygmaeus ssp. *continentalis* Raven
Linaria canadensis (L.) Dum.-Cours. var. *texana* (Scheele) Pennell
Linum lewisii Pursh
Lipocarpa micrantha (M. Vahl.) G.C. Tucker

Common Name

Stubflower Penstemon, Gaping Beardtongue (U)
Junegrass (U)
Winter Fat (R)
Branched Lagophylla, Common Hareleaf (R)
Lastarriaea (R)
Crown-pappus Goldfields (R)
Ferris Goldfields (R)
Rayless Goldfields (R)
White-petaled Peavine (R)
Pacific Peavine (R)
Pacific Peavine (R, Type)
Malva Rose (R)
Yellow Layia (R)
Rose Layia (R, Type)
Pale-yellow Layia (R) CNPS List 1B
White Tidy Tips (R)
Tidy Tips (U)
Gibbose Duckweed (R)
Duckweed (R)
Tiny Duckweed (R)
Duckweed (R)
Big Duckweed (R)
Pitcher Sage (R)
Fragrant Pitcher Sage (R)
new Pitcher Sage (R)
Peppergrass (R)
Veiny Peppergrass (R)
Short-toothed Peppergrass
Hairy-pod Peppergrass (R)
Common Peppergrass (R)
Prostrate Peppergrass (R)
Hairy Poorman's Peppergrass (R)
Mexican Sprangletop (R)
Granite Prickly Phlox (R)
Granite Prickly Phlox (R)
Peirson's Lessingia (R) CNPS List 4
Sticky Lessingia (R)
Spring Lessingia (U, Type) CNPS List 4
Pygmy Bitterroot (R)
Small Bitterroot (U)
Ocellated Humboldt Lily (U) CNPS List 4
Leopard Lily (R)
Marsh Rosemary (R)
Tufted Mudwort (R)
Bicolored Linanthus (R)
Bigelow Linanthus (R)
Whisker Brush (R)
Ground Pink (R)
Evening Snow (R)
Narrow Flaxflower (R)
Lighthouse Flaxflower (R)
Parry Linanthus (R)
Continental Pygmy Linanthus (R)
Tufted Mudwort (R)
Western Blue Flax (U)
Tiny Lipocarpa (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Lithocarpus densiflorus</i> (Hook. & Arn.) Rehder	Tanbark Oak (R)
<i>Lithophragma affine</i> Gray	Woodland Star (U)
<i>Lithophragma bolanderi</i> Gray	Bolander Star (R)
<i>Lithophragma cymbalaria</i> T. & G.	Mission Star (R)
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	Hill Star (R)
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	Prairie Star (R)
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	Rothrock (Ojai) Lobelia (U, Type)
<i>Loeflingia squarrosa</i> Nuttall var. <i>squarrosa</i>	California Loeflingia (R)
<i>Loeseliastrum schottii</i> S. Timbrook	Schott Loeseliastrum (R)
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium (R)
<i>Lomatium dasycarpum</i> (T. & G.) Coulter & Rose ssp. <i>dasycarpum</i>	Hairy Wing-fruit (U)
<u><i>Lomatium insulare</i> (Eastw.) Munz</u>	<u>San Nicolas Island Lomatium (R)</u>
<i>Lomatium lucidum</i> (T. & G.) Jeps.	Shiny Lomatium (R)
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium (R)
<i>Lomatium mohavense</i> (Coulter & Rose) Coulter & Rose ssp. <i>mohavense</i>	Desert-parsley (U)
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	Small-leaved Lomatium (R)
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium (R)
<i>Lonicera interrupta</i> Benth.	Chaparral Honeysuckle (R)
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	Santa Ynez Mountains Honeysuckle (R)
<u><i>Lotus argophyllus</i> ssp. <i>argenteus</i> Dunkle</u>	<u>Silver Deervetch (R)</u>
<i>Lotus crassifolius</i> (Benth.) Greene var. <i>crassifolius</i>	Broad-leaved Hosackia (U)
<u><i>Lotus dendroideus</i> (Greene) Greene var. <i>dendroideus</i></u>	<u>Island Broom (R)</u>
<u><i>Lotus dendroideus</i> var. <i>veatchii</i> (Greene) Isley</u>	<u>San Miguel Island Deerweed (R)</u>
<i>Lotus hamatus</i> Greene	Grab Hosackia or Lotus (R)
<i>Lotus heermanii</i> (Durand & Hilg.) Greene var. <i>heermanii</i>	Heerman Lotus or Hosackia (R)
<i>Lotus heermanii</i> var. <i>orbicularis</i> (Gray) Isley	Heerman Lotus (R)
<i>Lotus junceus</i> (Benth.) Greene	Lotus (R)
<i>Lotus micranthus</i> Benth.	Tiny Lotus (R)
<i>Lotus nevadensis</i> (S. Watson) Greene var. <i> davidsonii</i> (Greene) Isley	Suphur-flowered Hosackia (U)
<i>Lotus nevadensis</i> (S. Watson) Greene var. <i>nevadensis</i>	Sierra Nevada Hosackia (R)
<i>Lotus oblongifolius</i> (Benth.) Greene var. <i>cupreus</i> (Greene) Ottley	Stream Trefoil (R)
<i>Lotus oblongifolius</i> (Benth.) Greene var. <i>oblongifolius</i>	Narrow-leaved Hosackia, Stream Trefoil (U)
<i>Lotus stipularis</i> (Benth.) Greene var. <i>stipularis</i>	Balsam Lotus (R)
<i>Ludwigia palustris</i> (L.) Elliot	Streamside Water Primrose (R)
<i>Ludwigia peploides</i> (Kunth) Raven ssp. <i>peploides</i>	Floating Seedbox (R)
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	Silky Lupine (R)
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	Wavyleaf Silky Lupine (R)
<i>Lupinus agardhianus</i> Heller	Lupine (R)
<i>Lupinus albicaulis</i> Hooker	Whitestem Lupine (R)
<u><i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith</u>	<u>Island Silver Bush Lupine (R)</u>
<i>Lupinus andersonii</i> S. Watson	Anderson Lupine (R)
<i>Lupinus arboreus</i> Sims	Yellow Bush Lupine (R)
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine (R)
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	Alpine Brewer Lupine (U)
<u><i>Lupinus chamissonis</i> Eschsch.</u>	<u>Coastal Bush Lupine (R)</u>
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	Bajada Lupine (R)
<i>Lupinus concinnus</i> spp. <i>orcutti</i> (S. Watson) D. Dunn	Orcutt Bajada Lupine (R)
<i>Lupinus excubitus</i> M.E. Jones var. <i>excubitus</i>	Grape Soda Lupine (U)
<i>Lupinus excubitus</i> var. <i>austromontanus</i> (A.A. Heller) C.P. Smith	Southern Mountain Bush Lupine (U)
<i>Lupinus excubitus</i> var. <i>hallii</i> (Abrams) C.P. Smith	Hall Bush Lupine (U)
<i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith	Johnston Bush Lupine (R)
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine (R)
<i>Lupinus latifolius</i> J. Agardh var. <i>latifolius</i>	Broad-leaved Lupine (R)
<i>Lupinus latifolius</i> var. <i>parishii</i> C.P. Smith	Parish Broad-leaved Lupine (U)
<i>Lupinus lepidus</i> var. <i>confertus</i> (Kellogg) C.P. Smith	Prairie Lupine (U)
<i>Lupinus luteolus</i> Kellogg	Butter Lupine (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Lupinus microcarpus</i> var. <i>densiflorus</i> (Benth) Jeps.	Densely Red-flowered Lupine (R)
<i>Lupinus microcarpus</i> var. <i>horizontalis</i> (A.A. Heller) Jeps.	Prostrate Red-flowered Lupine (U, Type)
<i>Lupinus nanus</i> Benth.	Small Lupine (R)
<i>Lupinus polyphyllus</i> Lindley var. <i>burkei</i>	Large-leaved Lupine (R)
<i>Lupinus truncatus</i> Nuttall	Truncate-leaved Lupine (U)
<i>Lycium andersonii</i> Gray	Anderson Desert-thorn (R)
<u><i>Lycium californicum</i> Nuttall ex Gray</u>	<u>California Desert-thorn (R)</u>
<u><i>Lycium verrucosum</i> Eastwood</u>	<u>San Nicolas Island Desert-thorn (R, Type)</u>
<i>Lythrum californicum</i> T. & G.	California Loosestrife (R)
<i>Machaeranthera canescens</i> (Pursh) Gray ssp. <i>canescens</i>	Hoary-Aster (U)
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	Vernal Tarplant or Madia (R)
<i>Madia elegans</i> ssp. <i>wheeleri</i> (Gray) Keck	Wheeler Tarplant or Madia (R)
<i>Madia exigua</i> (Smith) A. Gray	Small or Threadstem Tarplant or Madia (R)
<i>Madia gracilis</i> (Smith) Keck	Slender Tarplant or Madia (U)
<i>Madia sativa</i> Molina	Coast Tarplant (R)
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Maianthemum stellatum</i> (L.) Link	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	Lax-flowered Bushmallow (R)
<i>Malacothamnus fremontii</i> (Torrey ex Gray) Torrey ex. Greene	Fremont Bushmallow (U)
<i>Malacothamnus marruboides</i> (D. & H.) Greene	Pink-flowered Bush[Globe]mallow (R)
<i>Malacothamnus nuttallii</i> Abrams	Nuttall Bushmallow (Type)
<i>Malacothrix californica</i> DC. var. <i>californica</i>	California Cliff-aster (U)
<i>Malacothrix clevelandii</i> Gray	Cleveland Cliff-aster (R)
<i>Malacothrix floccifera</i> (DC.) Blake	Woolly or Flobose Dandelion (R)
<u><i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis</u>	<u>Leafy Cliff-aster (R)</u>
<u><i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i></u>	<u>Leafy Cliff-aster (R)</u>
<u><i>Malacothrix foliosa</i> ssp. <i>polycephala</i> W.S. David</u>	<u>Many-headed Leafy Cliff-aster (R)</u>
<i>Malacothrix glabrata</i> A. Gray	Desert Dandelion (R)
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray var. <i>incana</i>	Dunedelion (R) CNPS List 4
<u><i>Malacothrix junakii</i> W.S. Davis</u>	<u>Junak Dandelion (R, Type)</u>
<i>Malacothrix phaeocarpa</i> W.S. Davis	Brown-fruited Dandelion (R) CNPS List 4
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>	Cliff-aster (U)
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris	Cliff-aster (R)
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster (R)
<u><i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall</u>	<u>Implicated Cliff-aster (R, Type)</u>
<u><i>Malacothrix squalida</i> Greene</u>	<u>Island Dandelion (R)</u>
<i>Malvella leprosa</i> (Ortega) Krapov	Alkali-mallow, White-Weed (U)
<u><i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking</u>	<u>Island Man-root (R)</u>
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>	Hairy Pepperwort, Clover Fern (R)
<i>Meconella denticulata</i> E. Greene	Tiny Poppy (R)
<i>Melica californica</i> Scribner var. <i>californica</i>	California Melic Grass (R)
<i>Melica stricta</i> Bolander var. <i>stricta</i>	Nodding or Rock Melic Grass (R)
<i>Mentzelia affinis</i> Greene	Stickleaf (R)
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitestem Stickleaf (R)
<i>Mentzelia congesta</i> (Nuttall) T. & G. var. <i>congesta</i>	Congested Stickleaf (U)
<i>Mentzelia congesta</i> var. <i> davidsoniana</i> (Abrams) J.F. Macbr.	Ventana Stickleaf (R)
<i>Mentzelia dispersa</i> S. Watson	Scattered Stickleaf (R)
<i>Mentzelia gracilentia</i> T. & G.	Slender Stickleaf (R)
<i>Mentzelia micrantha</i> (Hook. & Arnott) T. & G.	Tiny-flowered Stickleaf (U)
<i>Mentzelia pectinata</i> Kellogg	Stickleaf (R)
<i>Mentzelia pinetorum</i> A.A. Heller	Stickleaf (R)
<i>Mentzelia veatchiana</i> Kellogg	Veatch Stickleaf (R)
<i>Micropus californicus</i> Fischer & C. Meyer var. <i>californicus</i>	Slender Cottonweed (R)
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers	Slender Douglas Microseris (R)
<i>Microseris elegans</i> A. Gray	Elegant Microseris (R)
<i>Mimulus androsaceus</i> Greene	Naked Sepal Monkeyflower (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Mimulus aurantiacus</i> var. <i>parviflorus</i> (Greene) D.M. Thompson	Bush Monkeyflower (R)
<i>Mimulus bigelovii</i> (Gray) Gray var. <i>bigelovii</i>	Bigelow Monkeyflower (R)
<i>Mimulus bolanderi</i> Gray	Bolander Monkeyflower (R)
<i>Mimulus breweri</i> (E. Greene) Cov.	Brewer Monkeyflower (R)
<i>Mimulus constrictus</i> (A.L. Grant) Pennell	Narrow-throated Monkeyflower (R)
<i>Mimulus flemingii</i> Munz	Island Bush Monkeyflower (R)
<i>Mimulus floribundus</i> Lindley	Floriferous Monkeyflower (R)
<i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i>	Fremont Monkeyflower (U)
<i>Mimulus johnstonii</i> A.L. Grant	Johnston Monkeyflower (R)
<i>Mimulus longiflorus</i> var. <i>rutilus</i> A. Grant	Red Sticky Bush Monkeyflower (R)
<i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray	Musk Monkeyflower (R)
<i>Mimulus pilosus</i> (Benth.) S. Watson	Pilose or Downy Monkeyflower (U)
<i>Mimulus primuloides</i> Benth. var. <i>primuloides</i>	Primrose Monkeyflower (R)
<i>Mimulus puniceus</i> Nuttall	Red Bush Monkeyflower (R)
<i>Mimulus suksdorfii</i> Gray	Suksdorf Monkeyflower (R)
<i>Minuartia douglasii</i> (Fenzl ex T. & G.) Mattf.	Douglas Sandwort (R)
<i>Minuartia pusilla</i> (S. Watson) Mattf.	Sandwort (R)
<i>Mirabilis multiflora</i> var. <i>pubescens</i> S. Watson	Froebel Four O'Clock (R)
<i>Monanthochloe littoralis</i> Engelm.	Shoregrass (R)
<i>Monardella breweri</i> Gray	Brewer Coyote Mint (R)
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i>	White-veined Coyote Mint (R)
<i>Monardella linoioides</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint (R) CNPS List 1B
<i>Monardella undulata</i> Benth.	Curly-leaved Horsemint (R)
<i>Monolepis nuttalliana</i> (Schultes) E. Greene	Nuttall Monolepis, Poverty Weed (R)
<i>Monolopia lanceolata</i> Nuttall	Lanceleaf Hilltop Daisy (R)
<i>Montia chamissoi</i> (Ledeb. Ex Spreng.) Greene	Toad-Lily (R)
<i>Mucronea californica</i> Benth. var. <i>californica</i>	California Spineflower (R)
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i>	Perfoliate Spineflower (R)
<i>Muhlenbergia andina</i> (Nuttall) A. Hitchc.	Foxtail Muhly (R)
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi	Scratchgrass (R)
<i>Muhlenbergia microsperma</i> (DC.) Kunth	Littleseed Muhly (U)
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla (R)
<i>Myosurus minimus</i> L.	Common Mousetails (R)
<i>Myrica californica</i> Chamisso	California Wax-Myrtle, Pacific Bayberry (R)
<i>Myriophyllum hippuroides</i> Torrey & A. Gray	Western Milfoil (R)
<i>Najas guadalupensis</i> (Sprengel) Magnus	Common Water-nymph, Southern Naiad (R)
<i>Nama californicum</i> (Gray) J.D. Bacon	Lemmon California Waterleaf (R)
<i>Nassella cernua</i> (Stebbins & Love) Barkworth	Foothill Needlegrass (U)
<i>Navarretia atractyloides</i> (Benth.) Hook. & Arn.	Navarretia (R)
<i>Navarretia hamata</i> E. Greene ssp. <i>hamata</i>	Navarretia (R)
<i>Navarretia jaredii</i> Eastw.	Paso Robles Navarretia (R)
<i>Navarretia mellita</i> E. Greene	Sticky Navarretia (R)
<i>Navarretia peninsularis</i> Greene	Southern California Navarretia (R)
<i>Navarretia squarrosa</i> (Eschsch.) Hook. & Arn.	Downy Navarretia (R)
<i>Nemacladus capillaris</i> Greene	Common Nemacladus (R)
<i>Nemacladus glandulerus</i> var. <i>occidentalis</i> McVaugh	Western Sticky Nemacladus (R)
<i>Nemacladus gracilis</i> Eastw.	Slender Nemacladus (R)
<i>Nemacladus ramosissimus</i> Nuttall	Nuttall's Nemacladus (R)
<i>Nemacladus secundiflorus</i> G.T. Robbins	Secud Nemacladus (R)
<i>Nemacladus sigmoideus</i> G.T. Robbins	Thread Stem (R)
<i>Nemophila menziesii</i> var. <i>integrifolia</i> Parish	Baby Blue-eyes (R)
<i>Nemophila menziesii</i> Hook. & Arn. var. <i>menziesii</i>	Baby Blue-eyes (U)
<i>Nemophila pedunculata</i> Benth.	Little-foot or Meadow Baby Blue-eyes (U)
<i>Nemophila pulchella</i> var. <i>fremontii</i> (A.D.E. Elmer) Constance	Fremont Baby Blue-eyes (R)
<i>Nicotiana attenuata</i> Torrey	Coyote Tobacco (U)
<i>Nicotiana quadrivalis</i> Pursh	Indian Tobacco (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Nolina cismontana</i> Dice	Chaparral Bear-grass (R) CNPS List 1B
<i>Notholeana californica</i> D.C. Eaton	California Cloak Fern (R)
<i>Oenothera deltooides</i> Torrey & Fremont	Devil's Lantern, Lion-in-a-Cage (R)
<i>Oenothera elata</i> ssp. <i>hirsutissima</i> (Gray) W. Dietr.	Great Marsh Evening Primrose (R)
<i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr.	Hooker Coast Evening Primrose (R)
<i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz	Evening Primrose (R)
<u><i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr.</u>	<u>Narrowleaf Oligomeris (R)</u>
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i>	Beavertail Cactus (R)
<u><i>Opuntia littoralis</i> (Engelm.) Cockerell X <i>O. oricola</i> Philbr.</u>	<u>Coastal-Round-pad Prickly Pear Hybrid (R)</u>
<i>Opuntia oricola</i> Philbr.	Round-pad Prickly Pear (R)
<i>Opuntia parryi</i> Engelm.	Cane or Snake Cholla (R)
<i>Opuntia prolifera</i> Engelm.	Coastal Cholla (R)
<i>Opuntia Xvaseyi</i> (J. Coulter) Britton & Rose (<i>O. littoralis</i> X <i>phaeacantha</i>)	Mesa Prickly Pear (R)
<i>Orcuttia californica</i> Vasey	California Orcutt Grass (R)
<i>Orobanche bulbosa</i> (Gray) G. Beck	Chamise Broom-rape (U)
<i>Orobanche californica</i> ssp. <i>feudgei</i> (Munz) Heckard	California Sagebrush Broom-rape (R)
<i>Orobanche fasciculata</i> Nuttall	Clustered Broom-rape (U)
<i>Orobanche parishii</i> ssp. <i>brachyloba</i> Heckard	Short-lobed Broom-rape (R)
<i>Orobanche parishii</i> (Jeps.) Heckard ssp. <i>parishii</i>	Parish Broom-rape (R)
<i>Orobanche uniflora</i> L.	Naked Broomrape (R)
<i>Orobanche valida</i> Jeps. ssp. <i>valida</i>	Rock Creek Broom-rape (R)
<i>Osmorhiza brachypoda</i> Torrey	California Sweet Cicely (U)
<i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten	California White Wood Sorrel (R)
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel (R)
<i>Oxytheca caryophylloides</i> Parry	Chickweed Oxytheca (R) CNPS List 4
<i>Oxytheca parishii</i> Parry var. <i>parishii</i>	Parish Oxytheca (R)
<i>Oxytheca parishii</i> var. <i>abramsii</i> (McGregor) Munz	Abrams Oxytheca (R, Type) CNPS List 1B
<i>Oxytheca perfoliata</i> T. & G.	Perfoliate Oxytheca (R)
<i>Oxytheca trilobata</i> A. Gray	Three-lobed Spineflower (R)
<i>Panicum capillare</i> L.	Witchgrass (R)
<i>Papaver californicum</i> Gray	Wind or Fire Poppy (R)
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory (R)
<i>Parietaria hespera</i> B.D. Hinton var. <i>hespera</i>	Southwest Pellitory (U)
<i>Parietaria pensylvanica</i> Muhlenberg ex Willdenow	Pennsylvania Pellitory (R)
<i>Parishella californica</i> A. Gray	Parishella (R)
<i>Paspalum distichum</i> L.	Joint Dallis Grass or Knotgrass (R)
<i>Pectocarya heterocarpa</i> I.M. Johnston	Two-faced Pectocarya (R)
<i>Pectocarya linearis</i> ssp. <i>ferocula</i> (I.M. Johnston) Thorne	Linear Pectocarya (R)
<i>Pectocarya penicillata</i> (Hook. & Arn.) A. DC.	Winged Pectocarya (R)
<i>Pectocarya setosa</i> Gray	Setose Pectocarya (U)
<i>Pedicularis densiflora</i> Hook.	Indian Warrior (R)
<i>Pedicularis semibarbata</i> Gray	Pine-woods Lousewort (U)
<i>Pediomelum castoreum</i> (S. Watson) Rydb.	Desert Indian Breadroot (R)
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston	California Birdsfoot Cliffbrake or Fern (R)
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue (R)
<i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston	Southern Mountain Penstemon (R)
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon (R)
<i>Penstemon rostriflorus</i> Kellogg	Bridges Penstemon (R)
<i>Penstemon speciosus</i> Lindley	Showy Beardtongue (R)
<i>Pentachaeta fragilis</i> Brandegee	Fragile Pentachaeta (R)
<i>Pentachaeta lyonii</i> Gray	Lyon's Pentachaeta (R) Listed Endangered
<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i>	Gairdner Yampah (R)
<i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance	Parish Yampah (R)
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Ya mpah (U) CNPS List 4
<i>Perityle emoryi</i> Torrey	Rock Daisy (R)
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Phacelia (R)

Scientific Name

Common Name

<i>Phacelia austromontana</i> J.T. Howell	Low Phacelia (R)
<i>Phacelia cicutaria</i> E. Greene var. <i>cututaria</i>	Caterpillar Phacelia (R)
<i>Phacelia cicutaria</i> var. <i>hubbyi</i> (J.F. Macbr.) J.T. Howell	Hubby Caterpillar Phacelia (R)
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia (U)
<u><i>Phacelia cinerea</i> Eastw.</u>	<u>Ashy Phacelia (R, Type)</u>
<i>Phacelia curvipes</i> S. Watson var. <i>curvipes</i>	Washoe Phacelia (R)
<i>Phacelia exilis</i> (Gray) G.J. Lee	Transverse Range Phacelia (R)
<i>Phacelia fremontii</i> Torrey	Fremont Phacelia (U)
<i>Phacelia grandiflora</i> (Benth.) Gray	Large-flowered Phacelia (U)
<i>Phacelia grisea</i> Gray	White-flowered Phacelia (R)
<i>Phacelia humilis</i> var. <i>dudleyi</i> J. Howell	Dudley Phacelia (R)
<i>Phacelia imbricata</i> ssp. <i>patula</i> (Brand) Heckard	Mountain Phacelia (R)
<i>Phacelia longipes</i> Gray	Long-stalked Phacelia (U)
<i>Phacelia mohavensis</i> A. Gray	Mojave Phacelia (R)
<i>Phacelia oreopola</i> Heckard ssp. <i>oreopela</i>	Mountain Phacelia (R)
<i>Phacelia parryi</i> Torrey	Parry Phacelia (U)
<i>Phacelia ramosissima</i> var. <i>austrolittoralis</i> Munz	South Coast Branching Phacelia (R)
<i>Phacelia ramosissima</i> var. <i>latifolia</i> (Torrey) Cronq.	Branching Phacelia (U)
<i>Phacelia rattanii</i> A. Gray	Brand Phacelia (R)
<i>Phacelia tanacetifolia</i> Benth.	Tansy Phacelia (R)
<i>Phacelia viscida</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia (R)
<i>Phalaris lemmonii</i> Vasey	Lemmon Canarygrass (R)
<i>Phlox austromontana</i> Coville	Spreading Phlox (R)
<i>Phlox diffusa</i> Benth.	Mat Phlox (R)
<i>Phlox douglasii</i> ssp. <i>rigida</i> (Benth.) Wherry	Rigid Mat Phlox (R)
<i>Phlox gracilis</i> Greene	Slender Phlox (U)
<i>Phlox hoodii</i> ssp. <i>canescens</i> (T. & G.) Wherry	Fuzzy Hood Phlox (R)
<i>Pholistoma membranaceum</i> (Benth.) Constance	White Fiesta Flower (R)
<i>Phoradendron macrophyllum</i> (Engelm.) Cockerell	Bigleaf Mistletoe (U)
<i>Phoradendron pauciflorum</i> Torrey	Few-flowered Mistletoe (R)
<i>Phragmites australis</i> (Cav.) Steudel	Common Reed (R)
<u><i>Phyllospadix scouleri</i> Hook.</u>	<u>Scouler Surf-grass (R)</u>
<i>Phyllospadix torreyi</i> S. Watson	Torrey Surf-grass (R)
<i>Pickeringia montana</i> Nutt. var. <i>montana</i>	Chaparral Pea (R)
<i>Pilularia americana</i> A. Braun	American Pillwort (R)
<i>Pinus coulteri</i> D. Don	Coulter Pine (R)
<i>Pinus flexilis</i> E. James	Limber Pine (R)
<i>Pinus sabiniana</i> Douglas	Foothill or Gray Pine (R)
<i>Piperia michaelii</i> (Greene) Rydb.	Michael Piperia (R)
<i>Plagiobothrys arizonicus</i> (Gray) Gray	Arizona Popcornflower (R)
<i>Plagiobothrys canescens</i> Benth.	Valley or Bracted Popcornflower (R)
<i>Plagiobothrys collinus</i> var. <i>fulvescens</i> (I.M. Johnston) Higgins	Popcornflower (R)
<i>Plagiobothrys hispidulus</i> (E. Greene) I.M. Johnston	Hispid Popcornflower (R)
<i>Plagiobothrys nothofulvus</i> (A. Gray) A. Gray	Rusty Popcornflower
<i>Plagiobothrys tenellus</i> (Nuttall) A. Gray	Slender Popcornflower (R)
<i>Plagiobothrys undulatus</i> (Piper) I.M. Johnston	Undulate Popcornflower (R)
<i>Plantago elongata</i> Pursh	Coastal Plantain (R)
<i>Plantago patagonica</i> Jacq.	Patagonia Plantain (R)
<i>Plantago pusilla</i> Nuttall	Plantain (R)
<i>Platanthera leucostachys</i> Lindley	White-flowered Bog-Orchid (R)
<i>Platanthera sparsiflora</i> (S. Watson) Schltr.	Few-flowered Rein Orchid (R)
<i>Platystemon californicus</i> Benth. var. <i>californicus</i>	Cream Cups (U)
<i>Plectritis ciliosa</i> ssp. <i>insignis</i> (Suksd.) D. Morey	Petite Long-spurred Plectritis (R)
<i>Plectritis macrocera</i> Torrey & A. Gray	White Plectritis (R)
<i>Pluchea odorata</i> (L.) Cass.	Saltmarsh Fleabane (R)
<i>Pluchea sericea</i> (Nutt.) Coville	Arrow Weed (R)

Scientific Name

Common Name

<i>Poa secunda</i> ssp. <i>juncifolia</i> (Scribner) R. Soreng	Rush Bluegrass (R)
<i>Polemonium micranthum</i> Benth.	Phlox (R)
<i>Polycarpon depressum</i> Nutt.	California Allseed (R)
<i>Polygala cornuta</i> var. <i>fishiae</i> (C. Parry) Jeps.	Fish Milkwort (U) CNPS List 4
<i>Polygonum amphibium</i> var. <i>emersum</i> Michx.	Kelp, Water-Smartweed (R)
<i>Polygonum douglasii</i> ssp. <i>johnstonii</i> (Munz) J. Hickman	Sawatch Knotweed (R)
<i>Polygonum hydropiperoides</i> Michaux	Mild Water Pepper, Water Smartweed (R)
<i>Polygonum lapathifolium</i> L.	Willow Weed (U)
<i>Polygonum polygaloides</i> ssp. <i>kelloggii</i> (Greene) J. Hickman	Kellogg Knotweed (R)
<i>Polygonum punctatum</i> Elliott	Dotted Smartweed (U)
<i>Polygonum sawatchense</i> Small ssp. <i>sawatchense</i>	Sawatch Smartweed (R)
<i>Polypodium hesperium</i> Maxon	Western Polypody (R)
<i>Polystichum imbricans</i> ssp. <i>curtum</i> (Ewan) D.H. Wagner	Imbricate Sword Fern (R)
<i>Polystichum imbricans</i> (D.C. Eaton) D.H. Wagner ssp. <i>imbricans</i>	Imbricate Sword Fern (R)
<i>Populus balsamifera</i> ssp. <i>trichocarpa</i> (T. & G.) Brayshaw	Black Cottonwood (Type)
<i>Populus fremontii</i> Wats. <i>XP. balsamifera</i> ssp. <i>trichocarpa</i> (T. & G.) Brayshaw	Hybrid Fremont Cottonwood (R)
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed (R)
<i>Potamogeton nodosus</i> Poiret	Long-leaved Pondweed (R)
<i>Potamogeton pectinatus</i> L.	Fennel-leaf Pondweed (R)
<i>Potentilla anserina</i> ssp. <i>pacifica</i> (Howell) Rousi	Pacific Coast Cinquifol or Silverweed (R)
<i>Potentilla biennis</i> Greene	Biennial Cinquifol (R)
<i>Potentilla glandulosa</i> Lindley ssp. <i>glandulosa</i>	Sticky Cinquifol (U)
<i>Potentilla glandulosa</i> ssp. <i>nevadensis</i> (S. Watson) Keck	Sierra Nevada Sticky Cinquifol (R)
<i>Potentilla glandulosa</i> ssp. <i>reflexa</i> (Greene) Keck	Greene Cinquifol (R)
<i>Potentilla gracilis</i> var. <i>elmeri</i> (Rydb.) Jeps.	Elmer Slender Cinquifol (R, Type)
<i>Prunus emarginata</i> (Hooker) Walp.	Bitter Cherry (R)
<i>Prunus ilicifolia</i> ssp. <i>lyonii</i> (Eastw.) P. Raven	Catalina Cherry (R)
<i>Pseudognaphalium beneolens</i> (A. Davidson) Anderberg	Coastal Everlasting (R)
<i>Pseudognaphalium ramosissimum</i> (Nutt.) Anderberg	Pink Everlasting (R)
<i>Pseudognaphalium stramineum</i> (Kunth) A. Weber	Western Everlasting (R)
<i>Pseudostellaria jamesiana</i> (Torrey) W.A. Weber & R.I. Hartman	False Chickweed (R)
<i>Psilocarphus brevissimus</i> Nutt. var. <i>brevissimus</i>	Woolly Marbles (R)
<i>Psilocarphus tenellus</i> var. <i>globiferus</i> (DC.) Morefield	Round Woolly Marbles (R)
<i>Pteridium aquilinum</i> var. <i>pubescens</i> L. Underw.	Western Bracken [Fern] (U)
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Bush (U)
<i>Pyrola picta</i> Smith	White-veined Wintergreen (R)
<i>Pyrrocoma racemosa</i> var. <i>paniculata</i> (Nutt.) J. Kartesz & K. Gandhi	Pyrrocoma (R)
<i>Quercus douglasii</i> H. & A.	Blue Oak (R)
<i>Quercus dumosa</i> Nutt.	Nuttall or Coastal Sage Scrub Oak (R)CNPS List 1B
<i>Quercus palmeri</i> Engelm.	Palmer Oak (R)
<i>Quercus tomentella</i> Engelm.	Channel Island Oak (R)
<i>Quercus turbinella</i> Greene ssp. <i>turbinella</i>	Sonoran Scrub Oak (R)
<i>Quercus wislizenii</i> ssp. <i>frutescens</i> (Engelm.) E. Murray	Shrubby Interior Live Oak (U)
<i>Quercus Xalvordiana</i> Eastwood (<i>Q. douglasii</i> X <i>Q. john-tuckeri</i>)	Alvord Oak (R)
<i>Quercus Xmacdonaldii</i> Greene	MacDonald Oak (R)
<i>Ranunculus californicus</i> Bentham var. <i>californicus</i>	California Buttercup (U)
<i>Ranunculus cymbalaria</i> Pursh	Desert Buttercup (U)
<i>Ranunculus hebecarpus</i> Hooker & Arnott	Hebe-fruited Buttercup (R)
<i>Rhamnus tomentella</i> ssp. <i>cuspidata</i> (Greene) Sawyer	Cuspid Hoary Coffeeberry (R)
<i>Rhus integrifolia</i> (Nutt.) Brewer & S. Watson X <i>R. ovata</i> S. Watson	Lemonade Berry-Sugar Bush Hybrid (R)
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush (R)
<i>Ribes amarum</i> McClatchie var. <i>amarum</i>	Bitter Gooseberry (R)
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	Slender Golden Currant (R)
<i>Ribes californicum</i> Hooker & Arnott var. <i>californicum</i>	Hillside Gooseberry (R)
<i>Ribes californicum</i> var. <i>hesperium</i> (McClatchie) Jeps.	Southern Calif. Gooseberry (U)

Scientific Name

Ribes cereum Douglas var. *cereum*
Ribes indecorum Eastw.
Ribes malvaceum var. *viridifolium* Abrams
Ribes montigenum McClatchie
Ribes nevadense Kellogg
Ribes quercetorum Greene
Ribes roezlii Regel var. *roezlii*
Ribes velutinum Greene
Rigiopappus leptocladus Gray
Romneya coulteri Harvey
Rorippa palustris var. *occidentalis* (S. Watson) Rollins
Rosa woodsii var. *ultramontana* (S. Watson) Jeps.
Rumex hymenosepalus Torrey
Rumex maritimus L.
Rumex salicifolius var. *crassus* (Rech. f.) J. Howell
Rupertia physodes (Hook.) Grimes
Ruppia cirrhosa (Petagna) Grande
Ruppia maritima L.
Sagina decumbens ssp. *occidentalis* (S. Wats.) G. Crow
Sagina saginoides (L.) H. Karst.
Sagittaria sanfordii Greene
Salicornia bigelovii Torrey
Salicornia depressa Standley
Salix bonplandiana Kunth.
Salix gooddingii C. Ball
Salix macrostachya var. *leucodendroides* Rowlee
Salix hindsiana var. *parishiana* (Rowlee) C. Ball
Salix lasiolepis var. *bigelovii* (Torrey) Bebb.

Salvia carduacea Benth.
Salvia dorrii var. *pilosa* (Gray) Strachan & Reveal
Samolus parviflorus Raf.
Sanicula bipinnata Hooker & Arnott
Sanicula graveolens Peopp. ex DC.
Sanicula tuberosa Torrey
Sarcocornia pacifica (Standley) A.J. Scott [*Salicornia virginica* L.]
Sarcodes sanguinea Torrey
Satureja douglasii (Benth.) Briq.
Satureja mimuloides (Bentham) Briq.
Saussurea americana D. Eaton
Saxifraga californica Greene
Schoenoplectus acutus var. *occidentalis* (S. Watson) S.G. Smith
Schoenoplectus americanus (Pers.) Vokart ex Schinz & R. Keller
Schoenoplectus californicus (C. Meyer) Soják, Cas. Nár.
Schoenoplectus pungens (Vahl) Palla
Schoenoplectus saximontanus (Fern.) J. Raynal
Schoenoplectus tabernaemontani (C. Gmelin) Palla
Scirpus microcarpus J. Presl & C. Presl
Scrophularia californica Cham. & Schldl. ssp. *californica*
Scrophularia californica ssp. *floribunda* (E. Greene) Shaw
Scutellaria siphocampylodes Vatke
Scutellaria tuberosa Benth.
Senecio aphanactis Greene
Senecio breweri Burt Davy
Senecio californicus DC.
Senecio flaccidus var. *monoensis* (Greene) B.L. Turner & T.M. Barkley
Setaria gracilis Kunth

Common Name

Wax Currant (U)
 White-flowered Currant (R)
 Sticky Chaparral Currant (U)
 Mountain Gooseberry (R)
 Mountain Pink Currant (R)
 Oak Gooseberry (R)
 Sierra Gooseberry (R)
 Plateau Gooseberry (R)
 Rigiopappus (R)
 Coulter Matilija Poppy (R) CNPS List 4
 Western Riparian Yellow-cress (R)
 Interior Wild Rose (R)
 Wild Rhubarb, Canaigre (R)
 Golden Dock (R)
 Willow Dock (R)
 Scurf-pea (R)
 Spiral Wigeon-grass or Ditch-grass (R)
 Wigeon-grass, Ditch-grass (R)
 Western Pearlwort (R)
 Sagina, Arctic Pearlwort (R)
 Sanford Arrow-head (R) CNPS List 1B
 Bigelow Pickleweed (R)
 Pickleweed (R)
 Willow (R)
 Goodding Black Willow (R)
 Sandbar Willow (U)
 Sandbar Willow (R, Type)
 Bigelow Arroyo Willow (R)
 Thistle Sage (R)
 Pilose Desert Sage (R)
 Water-pimpernel (R)
 Poison Sanicle (R)
 Sanicle (R)
 Tuberosa Sanicle (R)
 Pacific Pickleweed or Swampfire (R)
 Snow Plant (U)
 Yerba Buena (R)
 Monkeyflower Yerba Buena (R)
 American Sawwort (R)
 California Saxifrage (R)
 Viscid Tule (R)
 American Bulrush (U)
 California Bulrush (R)
 Common Threesquare (U)
 Rocky Mountain Bulrush (R)
 Soft-stem Bulrush (R)
 Small-fruited Bulrush (R)
 California Figwort (U)
 Many-flowered Figwort (R)
 Skullcap (U)
 Danny Skullcap (R)
 Rayless Ragwort (R)
 Brewer Butterweed or Groundsel (R)
 California Ragwort
 Mono Butterweed (R)
 Knotroot Bristlegrass (R)

Scientific Name

Shepherdia argentea Nutt.
Sidalcea malvaeflora ssp. *californica* (T. & G.) C.L. Hitchc.
Sidalcea neomexicana Gray
Sidalcea pedata Gray
Silene antirrhina L.
Silene bernardina S. Watson
Silene californica Durand
Silene lemmonii S. Watson
Silene multinerva S. Watson
Solanum umbelliferum Eschsch.
Solidago confinis Gray
Solidago guiradonis Gray
Spergularia macrotheca var. *leucantha* (E. Greene) Robinson
Spergularia macrotheca (Hornem.) Heynh. var. *macrotheca*
Spergularia marina (L.) Griseb.
Sphenosciadium capitellatum Gray
Stachys ajugoides var. *rigida* Jeps. & Hoover
Stebbinsoseris heterocarpa (Nuttall) Chambers
Stellaria nitens Nuttall
Stephanomeria exigua ssp. *carotifera* (Hoover) Gottlieb
Stephanomeria exigua ssp. *coronaria* (Greene) Gottlieb
Stephanomeria exigua Nuttall ssp. *exigua*
Stephanomeria pauciflora (Nutt.) Nelson var. *pauciflora*
Stephanomeria virgata ssp. *pleurocarpa* (Greene) Gottlieb
Stillingia linearifolia S. Watson
Streptanthus campestris S. Watson
Stylocline gnaphaloides Nuttall
Stylomecon heterophylla (Benth.) G. Taylor
Suaeda calceoliformis (Hook.) Moq.
Suaeda esteroa Ferren & Whitmore
Suaeda moquini (Torrey) Greene
Suaeda taxifolia (Standl.) Standl.
Swertia neglecta (H.M. Hall) Jeps.
Symphoricarpos albus var. *laevigatus* (Fern.) S.F. Blake
Syntrichopappus lemmonii (A. Gray) A. Gray
Tauschia hartwegii (A. Gray) J.F. Macbr.
Tauschia parishii (Coulter & Rose) Macbr.
Tetradymia canescens DC.
Thalictrum fendleri Engelman ex Gray
Thalictrum polycarpum (Torrey) S. Watson
Thermopsis californica var. *argentata* (Greene) Chen & Turner
Thysanocarpus curvipes Hooker
Trichostema lanceolatum Benth.
Trichostema micranthum Gray
Trichostema ovatum Curran
Trifolium albopurpureum T. & G. var. *albopurpureum*
Trifolium ciliolatum Benth.
Trifolium cyathiferum Lindley
Trifolium depauperatum var. *amplectens* (T. & G.) L.F. McDermott
Trifolium depauperatum var. *truncatum* (Greene) Islay
Trifolium fucatum Lindley
Trifolium gracilentum T. & G. var. *gracilentum*
Trifolium longipes ssp. *atorubens* (Greene) J.M. Gillett
Trifolium microcephalum Pursh
Trifolium microdon Hook. & Arn.
Trifolium monanthum Gray var. *monanthum*

Common Name

Buffalo Berry, Silver Buffaloberry (U)
California Globemallow (U)
Salt Spring Checkermallow (R) CNPS List 2
Bird-footed Checkerbloom (R)
Snapdragon Campion, Catchfly (R)
Palmer Campion (R)
California Indian Pink (R)
Lemmon Campion or Catchfly (R)
Many-veined Campion (U)
Blue Witch (U)
Southern Goldenrod (U)
Guirado Goldenrod (R)
White Large[-flowered] Sandspurrey (R)
Large[-flowered] Sandspurrey (R)
Saltmarsh Sandspurrey (R)
Ranger Buttons, Swamp White Heads (R)
Rigid Hedge Nettle (R)
Chicory Microseris (R)
Shining Chickweed (R)
Carot Stephanomeria (R)
Small Stephanomeria (U)
Small Stephanomeria (R)
Wire-lettuce (U)
Two-fruited Wreath Plant (R)
Narrowleaf Stillingia (R-extirpated?)
Southern Jewelflower (R)
Everlasting Nest Straw (R)
Wind Poppy (R)
Seablite (R)
Estuary Seablite (R) CNPS List 1B
Bush Seepweed (R)
Woolly Seablite (R) CNPS List 4
Pine Green Gentian (U) CNPS List 4
Snowberry (R)
Lemmon's Xerasid (R) CNPS List 4
Hartweg Tauschia (R)
Parish Tauschia (U)
Cottonthorn, Horsebush (R)
Fendler Meadow-rue (R)
Tall Western Meadow-rue (R)
Silvery False-Lupine (U) CNPS List 4
Lace Pod (U)
Vinegar Weed (U)
Bluecurls (R)
Ovate Bluecurls (R)
Rancheria Clover
Ciliate or Tree Clover (R)
Ciliate or Tree Clover (R)
Dwarf Sack Clover (R)
Truncate Dwarf Sack Clover (R)
Bull Clover (R)
Pin-point Clover
Purple Clover (R)
Tiny-head Clover (R)
Tiny-head Clover (R)
Carpet Clover (R)

Scientific Name

Trifolium monanthum var. *grantianum* (A.A. Heller) Parish
Trifolium obtusiflorum Hooker & Arnott
Trifolium variegatum Nutt.
Trifolium willdenovii Sprengel
Trifolium wormskioldii Lehm.
Triglochin concinna Davy var. *concinna*
Triglochin striata R. & P.
Triteleia ixioides (Aif. F.) Greene ssp. *ixioides*
Tropidocarpum gracile Hook. [var. *dubium*]
Typha latifolia L.
Typha Xdomingensis Pers.
Veratrum californicum Durand var. *californicum*
Verbena bracteata Lagasca & J.D. Rodriguez
Veronica americana (Raf.) Schwien.
Veronica peregrina ssp. *xalapensis* (Kunth) Pennell
Veronica serpyllifolia ssp. *humifusa* (Dickson) Syme
Vicia americana Willd. var. *americana*
Vicia ludoviciana Nutt. var. *ludoviciana*
Viguiera laciniata Gray
Viola pedunculata T. & G. ssp. *pedunculata*
Viola pinetorum ssp. *grisea* (Jeps.) R.J. Little
Viola pinetorum Greene ssp. *pinetorum*
Viola purpurea Kellogg ssp. *purpurea*
Viola purpurea ssp. *mohavensis* (M. Baker & J. Clausen) J. Clausen
Viola purpurea ssp. *quercetorum* (M. Baker & J. Clausen) R.J. Little
Viola sheltonii Torrey
Vitis californica Benth.
Vitis girdiana Munson
Vulpia microstachys (Nutt.) Benth. var. *microstachys*
Vulpia microstachys var. *ciliata* (Beal) Lonard & Gould
Vulpia microstachys var. *pauciflora* (Beal) Lonard & Gould
Yabea microcarpa (Hooker & Arnott) Koso-Pol.
Zannichellia palustris L.
Zigadenus brevibracteatus (M.E. Jones) H.M. Hall
Zostera marina L.

Common Name

Carpet Clover (R)
 Creek Clover (R)
 Whitetip Clover (R)
 Tomcat Clover (R)
 Cows Clover (R)
 Utah Arrow-grass (R)
 Three-ribbed Arrow-grass (R)
 Golden Brodiaea (R)
 Slender Tropicocarpum (R)
 Broad-leaved Cattail, Soft Flag (R)
 Southern Cattail Hybrid (R)
 California False Hellebore (R)
 Prostrate Verbena (R)
 American Brooklime (R)
 Purslane Speedwell (R)
 Tyme-leaved Speedwell (R)
 American Vetch (R)
 Vetch (R)
 San Diego County Viguiera (R)
 Johnny-Jump-Up (U)
 Gray-leaved Violet (R) CNPS List 1B
 Mountain Violet (R)
 Purple or Mountain Violet (R)
 Mojave Yellow Violet (R)
 Oak Violet (R)
 Shelton Violet (R)
 California Wild Grape (R)
 Desert Wild Grape (R)
 Small Fescue (R)
 Ciliate Fescue (R)
 Few-flowered Side-oats (R)
 Yabea (R)
 Horned-Pondweed (R)
 Desert Zigadene (R)
 Eel-grass (R)

Plants Expected to Occur in Ventura County But Lacking Evidence⁹

Scientific Name

Abronia latifolia Eschsch.
Achnatherum latiglumis (Swallen) Barkworth
Achnatherum parishii (Vasey) Barkworth
Actaea rubra (Aiton) Wildenow
Adiantum aleuticum (Rupr.) C.A. Paris
Agastache urticifolia (Bentham) Kuntze var. *urticifolia*
Agrostis microphylla Steudel
Agrostis scabra Willd.
Allenrolfea occidentalis (S. Watson) Kuntze
Allophyllum integrifolium (Brand) A.D. Grant & V. Grant
Alopecurus aequalis Sobol. var. *aequalis*
Alopecurus geniculatus L.

Common Name

Coastal or Yellow Sand-verbena
 Needlegrass
 Parish Needlegrass
 Red Banberry
 Western Five-finger Fern or Maidenhair
 Nettleleaf Horsemint, Giant Hyssop
 Small-leaved Bentgrass
 Rough Bentgrass
 Iodine Bush
 Sticky Allophyllum
 Short-awn Foxtail
 Water Foxtail

⁹ Taxa that are expected to occur within Ventura County but for which no vouchers have been collected or observed. If any of these taxa are found within Ventura County, they should be considered locally rare species.

Scientific Name

Ambrosia confertiflora DC.
Ambrosia dumosa (A. Gray) Payne
Amsinckia eastwoodae J.F. Macbr.
Anaphalis margaritacea (L.) Benth. & Hooker F. ex C.B. Clarke
Androsace elongata ssp. *acuta* (E. Greene) G. Robb.
Aphanes occidentalis (Nuttall) Rydb.
Arabis platysperma Gray var. *platysperma*
Aristida purpurea var. *nealleyi* (Vasey) K.W. Allred
Aristida purpurea Nuttall var. *purpurea*
Aristida purpurea var. *wrightii* (A. Hitchc.) K.W. Allred
Arnica discoidea Benth. var. *discoidea*
Artemisia ludoviciana ssp. *incompta* (Nuttall) Keck
Aster occidentalis (Nuttall) Torrey & A. Gray var. *occidentalis*
Astragalus pomonensis M.E. Jones
Athyrium filix-femina var. *californicum* Butters
Athyrium filix-femina var. *cyclosorum* Ruprecht
Atriplex parishii S. Watson
Azolla mexicana C. Presl
Berberis pinnata Lagasca ssp. *pinnata*
Brodiaea elegans Hoover ssp. *elegans*
Brodiaea jolonensis Eastwood
Calystegia longipes (S. Watson) Brummitt
Calystegia sepium ssp. *limnophila* (E. Greene) Brummitt
Camissonia brevipes (A. Gray) Raven ssp. *brevipes*
Camissonia pusilla Raven
Carex feta L. Bailey
Carex hassei L. Bailey
Carex schottii Dewey
Carex serratodens W. Boott
Carex spissa L. Bailey
Castilleja campestris (Bentham) Chuang & Heckard ssp. *campestris*
Castilleja densiflora ssp. *gracilis* (Benth.) Chuang & Heckard
Castilleja plagiotoma A. Gray
Castilleja tenuis (A.A. Heller) Chuang & Heckard
Caulanthus crassicaulis (Torrey) S. Watson var. *crassicaulis*
Centaurium muhlenbergii (Griseb.) W. Wright ex Piper
Centromadia fitchii (A. Gray) E. Greene
Cephalanthera austiniiae (A. Gray) Heller
Chamaesyce serpyllifolia ssp. *hirtula* (S. Watson) Koutnik
Chamaesyce serpyllifolia (Pers.) Small ssp. *serpyllifolia*
Chorizanthe obovata Goodman
Chorizanthe wheeleri S. Watson
Circaea alpina ssp. *pacifica* (Aschers. & Magnus) Raven
Cladium californicum (S. Watson) O'Neill
Clarkia heterandra (Torrey) H. Lewis & Raven
Clarkia similis Harlan Lewis & Ernst
Clematis pauciflora Nuttall
Coleogyne ramosissima Torrey
Collinsia childii A. Gray
Collomia linearis Nuttall
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G.D. Wallace
Corallorhiza maculata (Raf.) Raf.
Coreopsis californica (Nuttall) H.K. Sharsmith var. *californica*
Cornus nuttallii Audubon
Cornus sericea ssp. *occidentalis* (Torrey & A. Gray) Fosberg
Crassula solieri (C. Gay) F. Meigen

Common Name

Weak-leaved Burweed or Bur-sage
 White Bur-sage, Burro Bush, Burro-Weed
 Elegant Fiddleneck
 Pearly Everlasting
 Rock-jasmine
 Dew-cup, Lady's Mantle
 Pioneer Rock Cress
 Nealley Three-awn Grass
 Purple Three-awn Grass
 Parish Three-awn Grass
 Rayless or Discoid Arnica
 White Sagebrush
 Western Mountain Aster
 Pomona Locoweed
 Southwestern Lady Fern
 Northwestern Lady Fern
 Parish Brittle-scale
 Mexican Duckweed Fern
 Pinnate-leaved Barberry
 Elegant Brodiaea
 Dwarf Brodiaea
 Morning-glory
 Riparian Morning-glory
 Yellow Cups
 Hairy Evening Primrose
 Green-sheathed Sedge
 Hasse Sedge
 Schott Sedge
 Sawtooth Sedge
 San Diego Sedge
 Field Owl's Clover
 Slender Dense-flowered Owl's Clover
 Mojave Indian Paintbrush
 Bristle Owl's Clover
 Thick-stem Wild Cabbage
 Monterey Centaury
 Fitch Spikeweed
 Phantom Orchid
 Hairy Thyme-leaved Spurge
 Thyme-leaved Spurge
 Obovate Spineflower
 Wheeler Spineflower
 Enchanter's Nightshade
 Saw-grass
 California Gaura
 Copy-cat Clarkia
Ropevine
 Blackbush
 Child Blue-eyed Mary
 Narrow-leaved Collomia
 Simpleleaf Summer Holly
 Spotted Coral Root
 California Coreopsis
 Mountain Dogwood
 Western American Dogwood
 Solier Vernal Pool Water Pigmy -weed

Scientific Name

Cucurbita palmata S. Watson
Cuscuta californica var. *papillosa* Yuncker
Cuscuta indecora var. *neuropetala* (Engelmann) Hitchc.
Cyperus niger Ruiz Lopez & Pavon
Damasonium californicum Benth
Deschampsia elongata (Hooker) Benth
Descurainia incisa (A. Gray) Britton ssp. *incisa*
Dodecatheon clevelandii E. Greene ssp. *clevelandii*
Downingia pulchella (Lindl.) Torrey
Draba verna L.
Dudleya edulis (Nuttall) Moran
Echinochloa crus-pavonis (Kunth) Shultes
Echinodorus berteroi (Spreng.) Fassett
Elatine rubella Rydb.
Eleocharis geniculata (L.) Roemer & Schultes
Eleocharis parvula (Roemer & Schultes) Link
Eleocharis radicans (Poir.) Kunth
Emmenanthe penduliflora var. *rosea* Brand
Encelia farinosa Torrey & A. Gray
Epilobium halleanum Hausskn.
Eremalche exilis (A. Gray) E. Greene
Eremalche parryi ssp. *kernensis* (C. Wolf) D. Bates
Erigeron philadelphicus L.
Eriogonum pusillum T. & G.
Eriogonum vimineum Benth.
Eriophyllum ambiguum (A. Gray) A. Gray var. *ambiguum*
Eriophyllum lanatum var. *hallii* Constance
Erodium macrophyllum Hooker & Arnott
Eschscholzia lemmonii ssp. *kernensis* (Munz) C. Clark
Euphorbia crenulata Engelmann
Euphorbia spathulata Lam.
Fraxinus latifolia Benth
Galium californicum ssp. *flaccidum* (E. Greene) Dempster & Stebb.
Garrya elliptica Lindley
Gaura coccinea Pursh
Gayophytum humile A.L. Juss.
Gayophytum oligospermum H. Lewis & J. Szwedkowski
Geranium carolinianum L.
Geranium richardsonii Fischer & Trautv.
Gilia modocensis Eastwood
Gilia tricolor Benth ssp. *tricolor*
Glyptopleura marginata D. Eaton
Grayia polygaloides Hooker & Arnott
Helianthus californicus DC.
Hesperolinon micranthum (A. Gray) Small
Hesperomecon linearis (Benth) E. Greene
Heterocodon rariflorum Nuttall
Hordeum jubatum L.
Hydrocotyle ranunculoides L.f.
Hydrocotyle umbellata L.
Hymenoclea monogyra Torrey & Gray
Hymenoclea salsola var. *pentalepis* (Rydb.) L. Benson
Iris douglasiana Herbert in W.J. Hooker and G.A.W. Arnott
Isoetes orcuttii A.A. Eaton
Juncus bryoides F.J. Hermann
Juncus falcatus E. Meyer var. *falcatus*

Common Name

Coyote Melon
California Dodder
Pretty Dodder
Black Flatsedge
Fringed Water-Plantain
Slender Hairgrass
Richardson Tansy Mustard
Cleveland Shooting Star
Flat-face Downingia
Vernal Whitlow-grass
Edible Live-forever
Gulf Barnyard Grass
Bur Head
Waterwort
Geniculate Spike-rush
Colorado Spike-rush
Rooted Spike-rush
Rose Whispering Bells
Brittlebush, Incienso
Gland Willow-herb
White-flowered Mallow
Kern Mallow
Philadelphia Fleabane
Puny Buckwheat
Wicker Buckwheat
Ambiguous Woolly Daisy
Fort Tejon Yarrow
Largeleaf Filaree
Tejon Poppy
Chinese Caps
Spurge
Oregon Ash
California Bedstraw
Silk-tassel Bush
Wild Honeysuckle, Linda Tarde
Low Gayophytum
Southern California Mountain Gayophytum
Cransebill, Carolina Geranium
Mountain Geranium
Modoc Gilia
Birds-eye or Tricolor Gilia
Sculpted-fruit
Hop-Sage
California Sunflower
Dwarf Flax
Western Poppy
Western Pearl-flower
Foxtail Barley
False-crowfoot Pennywort
Marsh Pennywort
Leafy Burrobrush
Southern Burrobrush
Mountain Iris
Orcutt Quillwort
Moss Rush
Sickleleaf Rush

Scientific Name

Juncus orthophyllus Cov.
Lasthenia fremontii (A. Gray) E. Greene
Lasthenia glaberrima A. DC.
Lasthenia microglossa (A. DC.) E. Greene
Layia hieracioides (DC.) Hooker & Arnott
Lepidium latipes Hooker var. *latipes*
Lepidium oblongum Small var. *oblongum*
Leymus cinereus A. Löve
Lilaea scilloides (Poir.) Haum.
Lonicera hispidula var. *vacillans* A. Gray
Lonicera interrupta Benth. X *Lonicera hispidula* var. *vacillans* Gray
Luzula comosa E. Meyer
Luzula subsessilis (S. Watson) Buchenau
Madia elegans ssp. *densifolia* (E. Greene) Keck
Malacothrix coulteri Gray
Melica frutescens Scribner
Melica stricta var. *albicaulis* Boyle
Microseris douglasii (DC.) Schultz-Bip. ssp. *douglasii*
Mimulus congdonii Robinson
Mimulus palmeri A. Gray
Minuartia californica (A. Gray) Mattf.
Monardella australis Abrams
Monardella villosa ssp. *obispoensis* (Hoover) Jokerst
Muhlenbergia richardsonii Trin.
Muhlenbergia utilis (Torrey) A. Hitchc.
Opuntia phaeacantha Engelm.
Orthocarpus linearilobus Bentham
Osmorhiza chilensis Hooker & Arnott
Panicum acuminatum Sw. var. *acuminatum*
Parnassia californica (A. Gray) E. Greene
Penstemon spectabilis Thurber var. [ssp.] *spectabilis*
Penstemon spectabilis var. [ssp.] *subviscosus* (Keck) McMinn
Phacelia congdonii Greene
Phacelia minor (Harvey) Thellung
Phoradendron libocedri (Engelm.) Howell
Phyla nodiflora (L.) E. Greene var. *nodiflora*
Physalis acutifolia (Miers) Sandw.
Plagiobothrys collinus var. *californicus* (A. Gray) Higgins
Plectritis brachystemon Fischer & C. Meyer
Pogogyne zizyphoroides Bentham
Polygonum amphibium var. *stipulaceum* Coleman
Polygonum douglasii E. Greene ssp. *douglasii*
Quercus garryana var. *breweri* (Engelm.) Jeps.
Quercus Xeplingii C.H. Muller
Ranunculus aquatilis var. *capillaceus* (Thuill.) DC.
Rubus leucodermis var. *bernardinus* (E. Greene) Jepson
Rubus parviflorus Nuttall
Sagina apetala L. ssp. *apetala*
Sagittaria longiloba Engelm.
Salix sitchensis Bong.
Sanicula bipinnatifida Hooker
Scutellaria bolanderi ssp. *austromontana* Epling
Solanum parishii A.A. Heller
Spirodela polyrrhiza (L.) Schlied.
Spirodela punctata C. Thompson
Sporobolus airoides Torrey

Common Name

Straight-leaf Rush
Fremont Goldfields
Rayless or Smooth Goldfields
Small-rayed Goldfields
Tall Layia
Dwarf Peppergrass
Oblong Peppergrass
Cespitose Wildrye
Flowering Quillwort
California Honeysuckle
Chaparral Honeysuckle hybrid
Wood Rush
Wood Rush
Dense-flowered Tarplant or Madia
Snake-head
Melic Grass
Whitstem Melic Grass
Douglas Microseris
Congdon Monkeyflower
Palmer Monkeyflower
California Sandwort
Southern Coyote Mint
San Luis Obispo Coyote Mint
Mat Muhly
Aparejo Grass
Engelmann Prickly Pear
Pallid Owl's Clover
Mountain Sweetroot or Sweet Cicely
Panicgrass
Grass-of-Parnassus
Royal Penstemon
Sticky Royal Penstemon
Congdon Phacelia
Wild Canterberry Bell
Incense-cedar Mistletoe
Common Frog-fruit
Ground-cherry
California Popcornflower
Small-flowered Pink Plectritis
Sacramento Mesamint
Stipuled Water-Smartweed
Douglas Knotweed
Brewer Oregon Oak
White Oak hybrid
Slender White Water Crowfoot
Sticky Blackcap Raspberry
Thimbleberry
Dwarf Pearlwort
Gregg Arrow-head
Sitka Willow
Purple Sanicle, Shoe Buttons
Southern Skullcap
Parish Nightshade
Duckmeat
Duckmeat
Alkali Sacaton

Scientific Name

Streptanthella longirostris Rydb.
Tetradymia comosa Gray
Thelypteris puberula var. *sonorensis* A.R. Smith
Thermopsis macrophylla Hook. & Arn. var. *macrophylla*
Trichostema austromontanum Harlan Lewis ssp. *austromontanum*
Trichostema parishii Vasey
Triglochin maritima L.
Triteleia dudleyi Hoover
Triteleia hyacinthina (Lindley) E. Greene
Triteleia ixioides ssp. *scabra* (E. Greene) L. Lenz
Triteleia laxa Benth
Typha angustifolia L.
Utricularia vulgaris L.
Vaccinium ovatum Pursh
Verbena lasiostachys var. *scabrida* Mold.
Vicia hassei S. Watson
Vulpia microstachys var. *confusa* (Piper) Lonard & Gould
Wolffia borealis Landolt & O. Wildi
Wolffia columbiana Karsten
Wolffia globosa Hartog & Plas
Wolffiella lingulata Hegelm.
Wolffiella oblonga (Phil.) Hegelm.
Wyethia ovata T. & G.
Yucca brevifolia var. *herbertii* (J.M. Webber) Munz

Common Name

Dwarf Jewelflower
Cottonthorn, Horsebush
Sonoran Maiden Fern
False-Lupine
San Jacinto Bluecurls
Parish Bluecurls
Seaside Arrow-grass
Dudley Tritelia
White Tritelia
Golden Brodiaea
Ithuriel Spear
Slender Cattail
Bladderwort
California Huckleberry
Western Verbena
Hasse Vetch
Fescue
Water-meal
Coastal Water-meal
Globe Water-meal
Mud-midget
Oblong Water-meal
Mule-ears
Herbert Joshua Tree